

A Fuzzy MARCOS-Based Analysis of Dragonfly Algorithm Variants in Industrial Optimization Problems

Kanak KALITA^{1,2}, Narayanan GANESH³, Rajendran SHANKAR⁴,
Shankar CHAKRABORTY^{5,*}

¹ *Department of Mechanical Engineering,*

Vel Tech Rangarajan Dr. Sagunthala R&D Institute of Science and Technology, Avadi, India

² *University Centre for Research & Development, Chandigarh University, Mohali, 140413, India*

³ *School of Computer Science and Engineering, Vellore Institute of Technology, Chennai, India*

⁴ *Department of Computer Science and Engineering, Koneru Lakshmaiah Education Foundation, Vaddeswaram, India*

⁵ *Department of Production Engineering, Jadavpur University, Kolkata, India.*

e-mail: s_chakraborty00@yahoo.co.in

Received: December 2022; accepted: November 2023

Abstract. Metaheuristics are commonly employed as a means of solving many distinct kinds of optimization problems. Several natural-process-inspired metaheuristic optimizers have been introduced in the recent years. The convergence, computational burden and statistical relevance of metaheuristics should be studied and compared for their potential use in future algorithm design and implementation. In this paper, eight different variants of dragonfly algorithm, i.e. classical dragonfly algorithm (DA), hybrid memory-based dragonfly algorithm with differential evolution (DADE), quantum-behaved and Gaussian mutational dragonfly algorithm (QGDA), memory-based hybrid dragonfly algorithm (MHDA), chaotic dragonfly algorithm (CDA), biogeography-based Mexican hat wavelet dragonfly algorithm (BMDA), hybrid Nelder-Mead algorithm and dragonfly algorithm (INMDA), and hybridization of dragonfly algorithm and artificial bee colony (HDA) are applied to solve four industrial chemical process optimization problems. A fuzzy multi-criteria decision making tool in the form of fuzzy-measurement alternatives and ranking according to compromise solution (MARCOS) is adopted to ascertain the relative rankings of the DA variants with respect to computational time, Friedman's rank based on optimal solutions and convergence rate. Based on the comprehensive testing of the algorithms, it is revealed that DADE, QGDA and classical DA are the top three DA variants in solving the industrial chemical process optimization problems under consideration.

Key words: Dragonfly algorithm, Process optimization, MCDM, MARCOS.

*Corresponding author.

1. Introduction

The increasing population coupled with rapid urbanization has led to unprecedented demands for natural and man-made resources. The chemical industry which acts as the raw material provider to several critical sectors, like pharmaceuticals, construction, etc., must keep up with the pace of these ever-increasing demands. Setting up new production facilities to serve the increasing demand requires significant resources and is also highly capital-intensive. Improving yield and efficiency of the existing plants on the other hand just needs deployment of better managerial practices, and sound knowledge of the processes and their optimization.

Due to large number of input parameters involved in any of the typical industrial chemical processes, optimizing them using classical approaches, like one-factor-at-a-time (OFAT), Taguchi methodology, etc., may not be always feasible. Of late, metaheuristics, which are essentially general-purpose heuristic approaches, have become quite popular among the researchers working in the area of process optimization. Perhaps this popularity is mainly due to high-level problem-independent algorithmic framework of the metaheuristics (Sörensen and Glover, 2013). Metaheuristics are stochastic algorithms and often draw their inspiration from nature. Any metaheuristic algorithm is an amalgamation of two basic functions, i.e. exploration and exploitation (Blum and Roli, 2003). Exploration and exploitation are also sometimes referred to as diversification and intensification. The objective of diversification or exploration is to navigate through the search space to find out ‘potential regions or zones’ with ‘good solutions’. On the other hand, intensification or exploitation is related to thoroughly searching out the ‘potential region or zone’ to locate the best solution. All metaheuristic algorithms attempt to strike an optimal balance between diversification and intensification. This balance has a direct bearing on the convergence rate of the considered algorithm as well as its ability to find out diverse solutions. Many metaheuristic algorithms have been proposed so far in quest of the optimal balance between diversification and intensification. Yet, many more algorithms continue to be developed. Nevertheless, in recent times, researchers have established the suitability, applicability and often superiority of metaheuristics over the traditional approaches, which are deterministic and exact. For large-scale and complex problems, like chemical process optimization, structural optimization, etc., metaheuristics provide a good trade-off between solution quality and computational time. Some of the most popular metaheuristics are genetic algorithm (GA) (Holland, 1992), simulated annealing (Kirkpatrick *et al.*, 1983), particle swarm optimization (PSO) (Kennedy and Eberhart, 1995), grey wolf optimizer (Mirjalili *et al.*, 2014) etc.

In this decade, research on metaphor-based metaheuristics has received a tremendous impetus. A plethora of nature-inspired metaheuristics, like flower pollination algorithm (Yang, 2012), swallow swarm optimization algorithm (Neshat *et al.*, 2013), grey wolf optimizer (Mirjalili *et al.*, 2014), moth-flame optimization algorithm (Mirjalili, 2015), dragonfly algorithm (Mirjalili, 2016), grasshopper optimization algorithm (Saremi *et al.*, 2017), artificial flora optimization algorithm (Cheng *et al.*, 2018), seagull optimization algorithm (Dhiman and Kumar, 2019), marine predators algorithm (Faramarzi *et al.*, 2020),

arithmetic optimization algorithm (Abualigah *et al.*, 2021), rat swarm optimization (Mzili *et al.*, 2022), etc., has been developed in the last ten years. Besides proposing new metaheuristics, tons of work have also been carried out in the area of hybridization of metaheuristics, wherein existing algorithms are either merged with other algorithms or new features are introduced in the existing algorithms.

The DA, a population-based nature-inspired metaheuristic, was propounded by Mirjalili (2016), Mafarja *et al.* (2018). Just like PSO, DA is also guided by swarm intelligence. It mimics the static and dynamic swarming behaviours of dragonflies. Since its inception in 2015, DA has been applied to solve various classes of optimization problems ranging from continuous (Abedi and Gharehchopogh, 2020) to discrete (Jawad *et al.*, 2021) and from unconstrained (Can and Alatas, 2017) to constrained (Khalilpourazari and Khalilpourazary, 2020). It has been successfully employed in both single-objective (Reddy, 2016) and multi-objective roles (Joshi *et al.*, 2021). The hybridization of DA has also received a lot of attention lately. Debnath *et al.* (2021) developed a hybrid memory-based dragonfly algorithm with differential evolution (DADE), whereas, Shirani and Safi-Esfahani (2020) proposed a biogeography-based Mexican hat wavelet dragonfly algorithm (BMDA). Xu and Yan (2019) fused the classical DA with the Nelder-Mead algorithm to develop a hybrid Nelder-Mead algorithm and dragonfly algorithm (INMDA) to improve the local capacity for exploration. Ghanem and Jantan (2018) proposed a hybridization of dragonfly algorithm and artificial bee colony (HDA) to improve the convergence rate. Sree Ranjini and Murugan (2017) combined the exploration capability of DA with the exploitation capacity of PSO to develop a memory-based hybrid dragonfly algorithm (MHDA). Yu *et al.* (2020) proposed the quantum-behaved and Gaussian mutational dragonfly algorithm (QGDA) and (Sayed *et al.*, 2019) developed the chaotic dragonfly algorithm (CDA) by seamlessly integrating chaos theory with classical DA.

In this paper, the performance of eight popular DA variants is compared based on four industrial chemical process problems (i.e. heat exchanger network design (Floudas and Ciric, 1989), optimal operation of alkylation unit (Sauer *et al.*, 1964), reactor network design (Ryoo and Sahinidis, 1995) and Haverly's pooling problem (Floudas and Pardalos, 1990). Hence, the algorithms considered in this paper are classical DA (Mirjalili, 2016), DADE (Debnath *et al.*, 2021), QGDA (Yu *et al.*, 2020), MHDA (Sree Ranjini and Murugan, 2017), CDA (Sayed *et al.*, 2019), BMDA (Shirani and Safi-Esfahani, 2020), INMDA (Xu and Yan, 2019) and HAD (Ghanem and Jantan, 2018). The algorithms are comprehensively tested based on the optimal solution obtained, computational time and convergence rate. The derived optimal solutions are further validated from the viewpoint of the best solution, mean best solution and dispersion (standard deviation) of the solutions on repeated trials. The Friedman's test rank is computed for each algorithm based on three criteria (best, mean and standard deviation) used for optimal solution analysis. Further, the opinions of five experts are aggregated using a fuzzy scale and a multi-criteria decision making (MCDM) tool in the form of fuzzy-measurement alternatives and ranking according to compromise solution (MARCOS) is adopted to identify the best algorithm based on the comprehensive analysis of the optimal solution, computational burden and convergence rate. The basic methodology followed in this paper can be represented in the form of a flowchart, as shown in Fig. 1.




Fig. 1. Flowchart of the adopted methodology.

2. Methods

2.1. Dragonfly Algorithm

The classical DA (Mirjalili, 2016) is a simple yet powerful metaheuristic algorithm mimicking the swarm behaviour of dragonflies. The social behaviour of dragonflies exhibited during searching and gathering of food as well as during foe avoidance forms the basis of the equation-based rules used to simulate and actuate DA. The DA is realized using the five parameters, e.g. separation, alignment, cohesion, attraction and distraction. Collision avoidance with neighbouring dragonflies is governed by separation. Velocity matching to the neighbouring individuals is carried out by alignment. Attractions towards the centre of mass of the neighbourhood and towards a food source are respectively governed by cohesion and attraction. Movement away from the enemy is controlled by distraction.

2.2. Hybrid Dragonfly Algorithm with Differential Evolution

Differential evolution (DE), in general, has high computational ability and a fast convergence rate. Akin to GA, DE explores the search space based on crossover and mutation. At the end of each cycle, DADE (Debnath et al., 2021) stores the best solution in its memory and continues the search with DE which promotes population diversity by employing mutation.

2.3. Quantum-Behaved and Gaussian Mutational Dragonfly Algorithm

By implementing the concept of a quantum rotation gate, Yu et al. (2020) endeavoured to strike a better balance between exploration and exploitation traits of DA. The Gaussian mutation is also incorporated into this algorithm to help generate diverse solutions.

2.4. Memory-Based Hybrid Dragonfly Algorithm

The lack of internal memory in the classical DA can cause premature convergence to local optima. To overcome this problem, Sree Ranjini and Murugan (2017) introduced certain features of PSO into DA and called the hybrid algorithm as MHDA. By endowing DA with internal memory, MHDA allows each dragonfly to keep track of its DA-pbest solution, i.e. coordinates of the best solution obtained by it so far. The MHDA has also access to DA-gbest, i.e. coordinates of the overall best solution obtained by the algorithm so far. After initial exploration of the search space by DA, exploitation of the promising search space zones is initialized by PSO considering DA-pbest and DA-gbest solutions.

2.5. Chaotic Dragonfly Algorithm

Sayed *et al.* (2019) employed ten chaotic maps to fine-tune the weights involved in the separation, alignment, cohesion, attraction and distraction parameters of the classical DA. The authors argued that as compared to DA, CDA would have an improved convergence rate, with the algorithmic complexity being at par with DA. The overall complexity of CDA is $O(dM + MC)$, where d , M and C are the dimensions of the problem, number of dragonflies and objective function complexity respectively.

2.6. Biogeography-Based Mexican Hat Wavelet Dragonfly Algorithm

To address the issue of premature convergence under heavy loads, Shirani and Safi-Esfahani (2020) proposed a variant of DA called BMDA (biogeography-based algorithm, Mexican hat wavelet and dragonfly algorithm) that combines the migration process of the biogeography-based optimization (BBO) technique with the transformation process of DA's Mexican hat wavelet.

2.7. Hybrid Nelder-Mead Algorithm and Dragonfly Algorithm

Xu and Yan (2019) argued that too many social interactions in DA would be responsible for reduced solution accuracy and premature convergence to local optima. These may be caused due to improper balance between diversification and intensification. Xu and Yan (2019) thus suggested hybridizing DA with an improved Nelder-Mead algorithm to improve its local search capacity.

2.8. Hybridization of Dragonfly Algorithm and Artificial Bee Colony

Ghanem and Jantan (2018) highlighted that the presence of Levy flight in the position update phase of DA would make it unable to effectively carry out a local search. To rectify this problem, Ghanem and Jantan (2018) suggested hybridization of DA and artificial bee colony (ABC) algorithm to make use of the exploitation and exploration abilities of DA along with the exploration ability of ABC.

2.9. Fuzzy MARCOS

The MARCOS is an innovative MCDM approach that can be employed in many contexts (Chakraborty et al., 2020; Stanković et al., 2020; Stević et al., 2020; Deveci et al., 2021; Biswal et al., 2023). Its computational strategy has been developed taking into account both the ideal and anti-ideal solutions (Bakır and Atalık, 2021). The utility degrees of the candidate alternatives are quantified, which are subsequently considered to evaluate the relative performance and rank each of the alternatives (Bakır et al., 2021; Badi et al., 2022). In this paper, MARCOS is integrated with fuzzy set theory to deal with the individual opinions of five experts with respect to computational time, Friedman's rank based on optimal solutions and convergence rate leading to the relative ranking of the eight DA variants.

The application steps of MARCOS in fuzzy environment are summarized as shown below:

Step 1: Formulate the initial decision matrix (X), consisting of m possible choices (alternatives) and n evaluation criteria.

$$X = \begin{bmatrix} x_{11} & x_{12} & \dots & x_{1j} & \dots & x_{1n} \\ x_{21} & x_{22} & \dots & x_{2j} & \dots & x_{2n} \\ \dots & \dots & \dots & \dots & \dots & \dots \\ x_{i1} & x_{i2} & \dots & x_{ij} & \dots & x_{in} \\ \dots & \dots & \dots & \dots & \dots & \dots \\ x_{m1} & x_{m2} & \dots & x_{mj} & \dots & x_{mn} \end{bmatrix}, \quad (1)$$

where x_{ij} is the performance of i th alternative against j th criterion.

Step 2: Develop the corresponding extended decision matrix (X') while considering the anti-ideal (AI) and ideal (ID) solutions.

$$AI = \min_i x_{ij} \quad \text{if } j \in B \quad \text{and} \quad \max_i x_{ij} \quad \text{if } j \in C, \quad (2)$$

$$AI = \max_i x_{ij} \quad \text{if } j \in B \quad \text{and} \quad \min_i x_{ij} \quad \text{if } j \in C, \quad (3)$$

where B is the set of beneficial criteria and C is the set of non-beneficial criteria.

$$X' = \begin{bmatrix} x_{ai1} & x_{ai2} & \dots & x_{aij} & \dots & x_{ain} \\ x_{11} & x_{12} & \dots & x_{1j} & \dots & x_{1n} \\ \dots & \dots & \dots & \dots & \dots & \dots \\ x_{i1} & x_{i2} & \dots & x_{ij} & \dots & x_{in} \\ x_{m1} & x_{m2} & \dots & x_{mj} & \dots & x_{mn} \\ x_{id1} & x_{id2} & \dots & x_{idj} & \dots & x_{idn} \end{bmatrix}. \quad (4)$$

Step 3: Normalize the extended decision matrix using Eqs. (5) and (6) depending on the type of the criterion under consideration.

$$n_{ij} = \frac{x_{id}}{x_{ij}}, \quad \text{if } j \in C, \quad (5)$$

$$n_{ij} = \frac{x_{ij}}{x_{id}}, \quad \text{if } j \in B. \quad (6)$$

Step 4: Develop the weighted normalized fuzzy decision matrix.

$$\tilde{v}_{ij} = (v_{ij}^l, v_{ij}^m, v_{ij}^u) = n_{ij} \otimes \tilde{w}_j = (n_{ij} \times w_j^l, n_{ij} \times w_j^m, n_{ij} \times w_j^u), \quad (7)$$

where \tilde{w}_j is the fuzzy weight assigned to j th criterion.

Step 5: Determine the utility degrees of each alternative using the following expressions:

$$\tilde{K}_i^- = \frac{\tilde{S}_i}{\tilde{S}_{ai}} = \left(\frac{s_i^l}{s_{ai}^u}, \frac{s_i^m}{s_{ai}^m}, \frac{s_i^u}{s_{ai}^l} \right), \quad (8)$$

$$\tilde{K}_i^+ = \frac{\tilde{S}_i}{\tilde{s}_{id}} = \left(\frac{s_i^l}{s_{id}^u}, \frac{s_i^m}{s_{id}^m}, \frac{s_i^u}{s_{id}^l} \right), \quad (9)$$

where $\tilde{S}_i (s_i^l, s_i^m, s_i^u)$ is the sum of elements of the weighted normalized fuzzy decision matrix and can be estimated using Eq. (10):

$$\tilde{S}_i = \sum_{j=1}^n \tilde{v}_{ij}. \quad (10)$$

Step 6: Formulate the fuzzy matrix \tilde{T}_i applying the following expression:

$$\tilde{T}_i = \tilde{t}_i = (t_i^l, t_i^m, t_i^u) = \tilde{K}_i^- \oplus \tilde{K}_i^+ = (k_i^{-l} + k_i^{+l}, k_i^{-m} + k_i^{+m}, k_i^{-u} + k_i^{+u}). \quad (11)$$

Step 7: Evaluate the utility functions for both the ideal and anti-ideal solutions.

$$f(\tilde{K}_i^+) = \frac{\tilde{K}_i^-}{df_{\text{crisp}}} = \left(\frac{k_i^{-l}}{df_{\text{crisp}}}, \frac{k_i^{-m}}{df_{\text{crisp}}}, \frac{k_i^{-u}}{df_{\text{crisp}}} \right), \quad (12)$$

$$f(\tilde{K}_i^-) = \frac{\tilde{K}_i^+}{df_{\text{crisp}}} = \left(\frac{k_i^{+l}}{df_{\text{crisp}}}, \frac{k_i^{+m}}{df_{\text{crisp}}}, \frac{k_i^{+u}}{df_{\text{crisp}}} \right), \quad (13)$$

where

$$df_{\text{crisp}} = \frac{l + 4m + u}{6}. \quad (14)$$

The value of df_{crisp} is obtained from a fuzzy number \tilde{D} , which can be estimated using Eq. (15):

$$\tilde{D} = (d^l, d^m, d^u) = \max_i \tilde{t}_{ij}. \quad (15)$$

Step 8: Determine the utility functions of all the alternatives.

From the defuzzified values of utility degrees and utility functions, the corresponding utility function of each of the alternatives with respect to anti-ideal and ideal solutions is computed using the following equation:

$$f(K_i) = \frac{K_i^+ + K_i^-}{1 + \frac{1-f(K_i^+)}{f(K_i^+)} + \frac{1-f(K_i^-)}{f(K_i^-)}}. \quad (16)$$

Step 9: Rank the alternatives.

Based on the descending values of the utility function, the alternatives are finally sorted from the best to the worst, the best alternative having the maximum utility function value.

3. Problem Description

To assess and compare the relative performance of eight different DA variants, four different industrial chemical process optimization problems are considered in this paper as the test problems. All these four problems are constrained optimization problems. The numerical experiments are carried out on a Dell Inspiron 15-3567 series Windows System with Intel(R) Core(TM) i7-7500U CPU @2.70 GHz, Clock Speed 2.9 Ghz, L2 Cache Size 512 and 8 GB RAM. To avoid any bias in the results, 30 independent trials are conducted for each of the DA algorithms on each test problem. The initial population size and maximum number of cycles for each DA variant are kept as 60 and 500 respectively. Thus, during each trial, 30000 function evaluations are carried out. The weight parameter in DA variants is assumed to be linearly decreasing from 0.9 to 0.4 as the number of cycles increases from 0 to 500. Similarly, the separation/alignment/cohesion weights in the considered DA variants are randomly varied between 0–0.1 for cycles less than 250. At 250 or more than 250 cycles, the separation/alignment/cohesion weight becomes 0.

The DA variants are subsequently ranked by comparing the algorithm's mean (f_{mean}), standard deviation (f_{std}), CPU (run time) (in sec) and Friedman ranking. While comparing the performance of optimizers, the one having the lowest f_{mean} value is always preferable (for minimization problem). If the f_{mean} values of two optimizers become equal, their f_{std} values can then be compared. In such cases, the optimizer having smaller f_{std} value is more stable.

4. Numerical Results on Chemical Process Optimization

4.1. Case Study 1: Heat Exchanger Network Design (HEND)

The main objective of the HEND problem (Floudas and Ciric, 1989) is to minimize the comprehensive area of HEND. This problem contains nine control variables and eight equality constraints. Mathematically, this minimization type HEND problem is defined as follows:

$$\begin{aligned}
 f(\bar{x}) &= 35x_1^{0.6} + 35x_2^{0.6}, \\
 h_1(\bar{x}) &= 200x_1x_4 - x_3 = 0, \\
 h_2(\bar{x}) &= 200x_2x_6 - x_5 = 0, \\
 h_3(\bar{x}) &= x_3 - 10000(x_7 - 100) = 0, \\
 h_4(\bar{x}) &= x_5 - 10000(300 - x_7) = 0, \\
 h_5(\bar{x}) &= x_3 - 10000(600 - x_8) = 0, \\
 h_6(\bar{x}) &= x_5 - 10000(900 - x_9) = 0, \\
 h_7(\bar{x}) &= x_4 \ln(x_8 - 100) - x_4 \ln(600 - x_7) - x_8 + x_7 + 500 = 0, \\
 h_8(\bar{x}) &= x_6 \ln(x_9 - x_7) - x_6 \ln(600) - x_9 + x_7 + 600 = 0, \\
 0 \leq x_1 \leq 10, \quad 0 \leq x_2 \leq 200, \quad 0 \leq x_3 \leq 100, \quad 0 \leq x_4 \leq 200, \\
 1000 \leq x_5 \leq 2000000, \quad 0 \leq x_6 \leq 600, \quad 100 \leq x_7 \leq 600, \quad 100 \leq x_8 \leq 600, \\
 100 \leq x_9 \leq 900.
 \end{aligned}
 \tag{17}$$

The optimal values of the control variables obtained, and objective function values (i.e. minimum (f_{min}), mean (f_{mean}) and standard deviation (f_{std}) of the eight DA variants (DADE, QGDA, MHDA, BMDA, INMDA, HDA, CDA and DA) are provided in Table 1.

Based on the simulation results for this problem, the f_{min} values of DADE, QGDA, MHDA, BMDA, INMDA, HDA, CDA and DA are respectively observed as 190.5047, 189.305, 189.3934, 189.3181, 189.3138, 189.3116, 192.599 and 189.3521. In other

Table 1
Simulation results of the HEND problem.

	DADE	QGDA	MHDA	BMDA	INMDA	HDA	CDA	DA
x_1	0.052351	1.44E-06	2.92E-05	4.58E-07	8.65E-08	4.61E-13	0.011093	4.58E-06
x_2	15.97275	16.66409	16.66889	16.66681	16.66669	16.66667	16.80441	16.66939
x_3	87.17488	66.77105	0.83742	0.01812	0.003442	1.58E-05	57.77835	47.67126
x_4	33.51656	99.85326	143.3811	197.9965	198.9125	123.661	124.0067	23.45766
x_5	1971712	1999763	1999999	2000000	2000000	2000000	1958385	1999885
x_6	595.4896	599.993	599.9197	599.9949	599.999	600	585.1924	599.8195
x_7	101.3036	100.0403	100.0001	100	100	100	102.4928	100.0042
x_8	599.2642	599.9864	599.9999	600	600	600	599.251	599.9945
x_9	701.4332	700.0313	700.0001	700	700	700	704.8981	699.9442
f_{min}	190.5047	189.305	189.3934	189.3181	189.3138	189.3116	192.599	189.3521
f_{mean}	191.4536	190.2539	190.3423	190.267	190.2627	190.2605	193.5479	190.301
f_{std}	0.789	0.082	0.915	0.864	0.525	0.727	0.940	0.836
Run time	3.2125	4.60625	7.570313	7.254688	7.303125	5.41875	7.290625	5.2125
FNRT T_{Rank}	4.7	3.2	4.7	4.8	4.8	5.1	4.7	4




Fig. 2. Convergence curve for the HEND problem.

words, the QGDA result is respectively 0.63%, 0.047%, 0.007%, 0.005%, 0.003%, 1.710% and 0.025% lower (better) than the simulation-based results obtained using DADE, MHDA, BMDA, INMDA, HDA, CDA and DA. Table 1 also shows that DADE, QGDA, MHDA, BMDA, INMDA, HDA, CDA and DA provide the corresponding f_{mean} values as 191.4536, 190.2539, 190.3423, 190.267, 190.2627, 190.2605, 193.5479 and 190.301 respectively without violating any of constraints. Thus, the resulting benefit for QGDA is 0.627%, 0.046%, 0.007%, 0.005%, 0.003%, 1.702% and 0.025% as compared to that obtained from DADE, MHDA, BMDA, INMDA, HDA, CDA and DA respectively. On the other hand, the f_{std} value for QGDA is noticed to be 0.082, which is lower by 89.607%, 91.038%, 90.509%, 84.381%, 88.721%, 91.277% and 90.191% than the simulation-based results derived from DADE, MHDA, BMDA, INMDA, HDA, CDA and DA respectively. Table 1 also shows the Friedman's ranks for DADE, QGDA, MHDA, BMDA, INMDA, HDA, CDA and DA as 4.7, 3.2, 4.7, 4.8, 4.8, 5.1, 4.7 and 4 respectively. Thus, based on the Friedman's rank test (FNRT) at 95% significance level, the ranking of the eight DA variants can be derived as QGDA > DA > DADE > MHDA > CDA > BMDA > INMDA > HDA. It is also interesting to note that according to the average run time, DADE is 30.258%, 57.565%, 55.718%, 56.012%, 40.715%, 55.937% and 38.369% faster than QGDA, MHDA, BMDA, INMDA, HDA, CDA and DA respectively. Although DADE is superior to QGDA, MHDA, BMDA, INMDA, HDA, CDA, and DA with respect to computational burden, QGDA is the second best in computational time. Figure 2 depicts the convergence curves of all the DA variants for this problem. Based on Fig. 2, it can be unveiled that DADE has a convergence advantage, which can find out a better solution with faster speed as compared to other DA variants. With respect to convergence rate, the considered DA variants can be ranked as DADE > HDA > BMDA > DA > CDA > MHDA > QGDA > INMDA.

4.2. Case Study 2: Optimal Operation of Alkylation Unit (OOAU)

The basic objective of the OOAU problem (Sauer *et al.*, 1964) (containing seven variables and 14 inequality constraints) is to maximize the octane number of olefin feed in the presence of acid. The minimization type of the OOAU problem can be mathematically stated as shown below:

$$\begin{aligned}
 f(\bar{x}) &= 0.035x_1x_6 + 1.715x_1 + 10.0x_2 + 4.0565x_3 - 0.063x_3x_5, \\
 g_1(\bar{x}) &= 0.0059553571x_6^2x_1 + 0.88392857x_3 - 0.1175625x_6x_1 - x_1 \leq 0, \\
 g_2(\bar{x}) &= 1.1088x_1 + 0.1303533x_1x_6 - 0.0066033x_1x_6^2 - x_3 \leq 0, \\
 g_3(\bar{x}) &= 6.66173269x_6^2 - 56.596669x_4 + 172.39878x_5 - 10000 - 191.20592x_6 \leq 0, \\
 g_4(\bar{x}) &= 1.08702x_6 - 0.3762x_6^2 + 0.32175x_4 + 56.85075 - x_5 \leq 0, \\
 g_5(\bar{x}) &= 0.006198x_7x_4x_3 + 2462.3121x_2 - 25.125634x_2x_4 - x_3x_4 \leq 0, \\
 g_6(\bar{x}) &= 161.18996x_3x_4 + 5000.0x_2x_4 - 489510.0x_2 - x_3x_4x_7 \leq 0, \\
 g_7(\bar{x}) &= 0.33x_7x_4 + 44.333333 \leq 0, \\
 g_8(\bar{x}) &= 0.022556x_5 - 1.0x_2 - 0.007595x_7 \leq 0, \\
 g_9(\bar{x}) &= 0.00061x_3 - 1.0 - 0.0005x_1 \leq 0, \\
 g_{10}(\bar{x}) &= 0.819672x_1 - x_3 + 0.819672 \leq 0, \\
 g_{11}(\bar{x}) &= 24500.0x_2 - 250.0.0x_2x_4 - x_3x_4 \leq 0, \\
 g_{12}(\bar{x}) &= 1020.4082x_2x_4 + 1.2244898x_3x_4 - 100000x_2 \leq 0, \\
 g_{13}(\bar{x}) &= 6.25x_1x_6 + 6.25x_1 - 7.625x_3 - 100000 \leq 0, \\
 g_{14}(\bar{x}) &= 1.22x_3 - x_1x_6 - x_1 \leq 0, \\
 10000 &\leq x_1 \leq 2000, \quad 0 \leq x_2 \leq 100, \quad 2000 \leq x_3 \leq 4000, \quad 0 \leq x_4 \leq 100, \\
 0 &\leq x_5 \leq 100, \quad 0 \leq x_6 \leq 20, \quad 0 \leq x_7 \leq 200.
 \end{aligned}
 \tag{18}$$

When this OOAU problem is solved using the eight DA variants, the corresponding values of the optimal control variables, and objective functions with respect to f_{\min} , f_{mean} and f_{std} are derived in Table 2. Using the simulation-based results, it is noticed

Table 2
Simulation results of the OOAU problem.

	DADE	QGDA	MHDA	BMDA	INMDA	HDA	CDA	DA
x_1	1362.7004	1364.9895	1365.0069	1365.0087	1364.4943	1364.8813	1365.009	1365.0091
x_2	99.957173	99.99925	99.999969	99.999997	99.997169	99.994546	100	99.999999
x_3	2000.1839	2000.0086	2000.0046	2000.0001	2000.328	2000.0167	2000.0009	2000
x_4	90.745206	90.740691	90.740725	90.740741	90.741674	90.740325	90.740738	90.740741
x_5	91.03223	91.015261	91.015162	91.015122	91.018349	91.015422	91.015123	91.01512
x_6	3.307297	3.2787429	3.2786118	3.2785546	3.2857938	3.280122	3.2785563	3.2785504
x_7	141.48571	141.46021	141.46006	141.45996	141.46966	141.46005	141.45996	141.45996
f_{\min}	-136.97331	-142.65288	-142.70488	-142.71839	-141.13781	-142.43987	-142.71733	-142.71923
f_{mean}	-136.18861	-141.86818	-141.92018	-141.93369	-140.35311	-141.65517	-141.93263	-141.93453
f_{std}	0.005292	0.0008229	0.049782	0.0451094	0.0024717	0.0104315	0.002072	0.0328824
Run time	4.0140625	6.9	9.18125	9.4265625	9.39375	5.9734375	9.515625	5.596875
FNRT _{Rank}	3.4	3.2	5.1	5.2	5.8	5.2	3.9	3.4




Fig. 3. Convergence diagram for the OOAU problem.

that the f_{\min} values for DADE, QGDA, MHDA, BMDA, INMDA, HDA, CDA and DA are -136.97331 , -142.65288 , -142.70488 , -142.71839 , -141.13781 , 142.43987 , -142.71733 and -142.71923 respectively. It is revealed that the DA result is -4.195% , -0.047% , -0.010% , -0.001% , -1.120% , -0.196% and -0.001% lower (better) than that derived using DADE, QGDA, MHDA, BMDA, INMDA, HDA and CDA respectively. It can also be observed from Table 2 that the applications of DADE, QGDA, MHDA, BMDA, INMDA, HDA, CDA and DA result in the corresponding f_{mean} values as -136.18861 , -141.86818 , -141.92018 , -141.93369 , -140.35311 , 141.65517 , -141.93263 and -141.93453 respectively, without violating any of the constraints. Thus, the benefit achieved for DA is -4.219% , -0.047% , -0.010% , -0.001% , -1.127% , -0.197% and -0.001% as compared to that obtained from DADE, QGDA, MHDA, BMDA, INMDA, HDA and CDA respectively. On the other hand, the f_{std} value for QGDA is estimated as 0.000823 , which is lower by 84.45% , 98.347% , 98.176% , 66.707% , 92.111% , 60.285% and 97.497% than that derived for DADE, QGDA, MHDA, BMDA, INMDA, CDA and DA respectively. For this example, the Friedman's ranks for DADE, QGDA, MHDA, BMDA, INMDA, HDA, CDA and DA are noticed to be 3.4 , 3.2 , 5.1 , 5.2 , 5.8 , 5.2 , 3.9 and 3.4 respectively. Using the Friedman's rank test at 95% level of significance, the DA variants under consideration can be sorted as $\text{QGDA} > \text{DA} > \text{DADE} > \text{CDA} > \text{MHDA} > \text{BMDA} > \text{HDA} > \text{INMDA}$. It can be revealed that the average run time for DADE is 41.825% , 56.280% , 57.418% , 57.269% , 32.801% , 57.816% and 28.280% faster than QGDA, MHDA, BMDA, INMDA, HDA, CDA and DA respectively. Thus, with respect to computational burden, the eight DA variants can be ranked as $\text{DADE} > \text{DA} > \text{HDA} > \text{QGDA} > \text{MHDA} > \text{INMDA} > \text{BMDA} > \text{CDA}$. In Fig. 3, the corresponding convergence curves of the considered DA variants are depicted, which reveal that DA ranks first, followed by DADE, QGDA, HDA, MMMA, CDA, BMDA and INMDA, with respect to rate of convergence.

4.3. Case Study 3: Reactor Network Design (RND)

The RND problem (Ryoo and Sahinidis, 1995) deals with maximization of the concentration of a certain product. It consists of six variables, one inequality and four equality constraints. Mathematically, this minimization type RND problem can be stated as shown below:

$$\begin{aligned}
 f(\bar{x}) &= x_4, \\
 h_1(\bar{x}) &= k_1x_2x_5 + x_1 - 1 = 0, \\
 h_2(\bar{x}) &= k_3x_3x_5 + x_1 + x_3 - 1 = 0, \\
 h_3(\bar{x}) &= k_2x_2x_6 - x_1 - x_2 = 0, \\
 h_4(\bar{x}) &= k_4x_4x_6 + x_2 - x_1 + x_4 - x_3 = 0, \\
 g_1(\bar{x}) &= x_5^{0.5} + x_6^{0.5} \leq 4, \\
 0 &\leq x_1, x_2, x_3, x_4 \leq 1, \quad 0.00001 \leq x_5, x_6 \leq 16,
 \end{aligned}
 \tag{19}$$

where $k_3 = 0.0391908$, $k_4 = 0.9k_3$, $k_1 = 0.09755988$ and $k_2 = 0.99k_1$.

The simulation-based results for this problem determine the optimal values of the control variables, and objective functions (i.e. f_{\min} , f_{mean} and f_{std}) of the DA variants under consideration, as provided in Table 3. It can be unveiled from this table that the f_{\min} value of HDA is respectively 1.231%, -3.072%, -3.500%, -3.489%, -0.967%, 0.000%, -3.498% and -1.408% lower (better) than that obtained using DADE, QGDA, MHDA, BMDA, INMDA, CDA and DA respectively. Similarly, with respect to f_{mean} values, the resulting benefit for DA is 0.0767, 0.0952, 0.1083, 0.2252, 0.2892, 0.1374 and 0.1772 as compared to that derived from DADE, QGDA, MHDA, BMDA, INMDA, HDA and CDA respectively. On the other hand, the f_{std} value for INMDA is estimated as 0.011053, which is 93.439%, 93.602%, 93.967%, 90.739%, 93.78%, 93.603% and 92.1252% lower than that obtained from DADE, QGDA, MHDA, BMDA, HDA, CDA and DA respectively. The corresponding Friedman’s ranks for DADE, QGDA, MHDA, BMDA, INMDA, HDA, CDA and DA are 4, 3.7, 4.3, 4.5, 7.4, 4.8, 4.8 and 2.5 respectively. Thus, based on the Friedman’s rank test at 95% significance level, the considered DA variants can be sorted as DA > QGDA > DADE > MHDA > BMDA > HDA >

Table 3
Simulation results of the RND problem.

	DADE	QGDA	MHDA	BMDA	INMDA	HDA	CDA	DA
x_1	0.9999763	0.9999369	0.3944072	0.3919993	0.9945312	0.9999841	0.3940459	0.9976073
x_2	0.4354706	0.4665822	0.3943078	0.3918984	0.4360605	0.398256	0.3939394	0.4420572
x_3	2.495E-09	8.385E-09	0.3746106	0.3746492	0.0054414	0.0001139	0.374615	0.0024281
x_4	0.3832139	0.3763675	0.3748098	0.3748497	0.384213	0.3879295	0.3748192	0.3825421
x_5	0.0025721	0.0006354	15.739914	15.899662	0.1285526	0.002037	15.764036	0.0540139
x_6	13.419795	11.83318	1.037E-05	2.24E-05	13.26011	15.640824	0.0001726	13.009488
f_{\min}	-0.383214	-0.376367	-0.374810	-0.374850	-0.384213	-0.387929	-0.374819	-0.382542
f_{mean}	-0.2162199	-0.1976946	-0.1846461	-0.0677247	-0.0037783	-0.1555713	-0.1157014	-0.292938
f_{std}	0.1684727	0.1727503	0.1832099	0.1193487	0.0110534	0.1777097	0.1727922	0.1403655
Run time	2.68125	4.9203125	8.4046875	8.440625	4.9046875	6.065625	8.0796875	8.4
FNRT Rank	4	3.7	4.3	4.5	7.4	4.8	4.8	2.5




Fig. 4. Convergence curve for the RND problem.

CDA > INMDA. However, in terms of computational time, these eight algorithms can be ranked as DADE > INMDA > QGDA > HDA > CDA > DA > MHDA > BMDA. Figure 4 exhibits the convergence curves of the DA variants for this problem. Thus, based on this figure, it can be concluded that HDA has a superior convergence advantage, helping in searching out a better solution with a faster speed, followed by DADE, MHDA, INMDA, CDA, QGDA, BMDA and DA.

4.4. Case Study 4: Haverly's Pooling Problem (HPP)

This HPP problem (Floudas and Pardalos, 1990) is of maximization type, containing nine variables, two inequality and four equality constraints. Mathematically, the HPP problem can be defined as below:

$$\begin{aligned}
 f(\bar{x}) &= 9x_1 + 15x_2 - 6x_3 - 16x_4 - 10(x_5 + x_6), \\
 h_1(\bar{x}) &= x_7 + x_8 - x_4 - x_3 = 0, \\
 h_2(\bar{x}) &= x_1 - x_5 - x_7 = 0, \\
 h_3(\bar{x}) &= x_2 - x_6 - x_8 = 0, \\
 h_4(\bar{x}) &= x_7x_9 + x_8x_9 - 3x_3 - x_4 = 0, \\
 g_1(\bar{x}) &= x_7x_9 + 2x_5 - 2.5x_1 \leq 0, \\
 g_2(\bar{x}) &= x_8x_9 + 2x_6 - 1.5x_2 \leq 0, \\
 0 &\leq x_1, x_3, x_4, x_5, x_6, x_8 \leq 100, \quad 0 \leq x_2, x_7, x_9 \leq 200.
 \end{aligned} \tag{20}$$

This maximization problem (converted first to minimization type) is now solved using the eight DA variants along with determination of the optimal values of the control variables, and objective functions (with respect to f_{\min} , f_{mean} and f_{std}), as shown in Table 4. Based on the derived results, it can be noticed that with respect to f_{\min} value, the MHDA

Table 4
Simulation results of the HPP problem.

	DADE	QGDA	MHDA	BMDA	INMDA	HDA	CDA	DA
x_1	0.0001505	9.983E-05	0.0001034	1.127E-05	0.9561836	0.0181292	0.0001372	1.9123671
x_2	199.99996	199.99997	199.99999	199.99927	199.19222	199.93562	199.99961	198.38445
x_3	9.63E-05	0.0001411	0.0001513	9.324E-06	0	0	2.284E-06	0
x_4	99.999692	99.999637	99.999648	99.999939	99.609244	99.999977	99.999819	99.218489
x_5	5.243E-05	1.227E-06	3.414E-06	2.773E-06	0.9438356	0.0176439	0.000137	1.8876711
x_6	99.999991	99.999994	99.99999	99.999345	99.595327	99.936127	99.999653	99.190654
x_7	8.313E-06	1.504E-06	5.335E-07	1.794E-05	0.012348	0.0004854	5.582E-07	0.0246959
x_8	99.999875	99.999876	99.999899	99.999928	99.596896	99.999491	99.999921	99.193792
x_9	1.0000004	1.0000009	1.000001	1.0000002	0.9999999	1	0.9999992	0.9999999
f_{min}	-400.00475	-400.00546	-400.00555	-399.99661	-397.34948	-399.66011	-400.00041	-394.69895
f_{mean}	-399.04995	-399.05066	-399.05075	-399.04181	-396.39468	-398.70531	-399.04561	-393.74415
f_{std}	0.3171725	0.3181686	0.2615975	0.2643702	0.3889547	0.552458	0.3975508	0.2672359
Run time	2.0260417	4.109375	7.1916667	4.1302083	7.1614583	4.98125	7.1458333	7.1791667
FNRT Rank	4.10	3.77	5.00	4.77	4.93	5.27	4.33	3.83




Fig. 5. Convergence curve for the HPP problem.

result is -0.0002% , -0.00002% , -0.0022% , -0.6684% , -0.0864% , -0.0013% and -1.3445% lower than that obtained with DADE, QGDA, BMDA, INMDA, HDA, CDA and DA respectively. Similarly, with respect to f_{mean} value, the resulting benefit for MHDA is -0.00020% , -0.00002% , -0.00224% , -0.67006% , -0.08664% , -0.00129% and -1.34773% as compared to that obtained using DADE, QGDA, BMDA, INMDA, HDA, CDA and DA respectively. Based on the simulation-based results, the f_{std} value for MHDA is estimated as 0.261598, which is 17.52%, 17.78%, 1.05%, 32.74%, 52.65%, 34.2% and 2.11% lower than that derived using DADE, QGDA, BMDA, INMDA, HDA, CDA and DA respectively. Table 4 also shows the results of the Friedman’s rank test at 95% significance level, which lead to the ranking of the considered DA variants as QGDA > DA > DADE > CDA > BMDA > INMDA > MHDA > HDA. However, with respect to computational burden, these algorithms can be sorted as DADE > QGDA > BMDA > HDA > CDA > INMDA > DA > MHDA. Figure 5 shows the corresponding convergence diagram of all the eight DA variants for this problem. Based on this figure, the ranking of

the algorithms is noted as $DADE > MHDA > DA > QGDA > HDA > CDA > INMDA > BMDA$.

5. Fuzzy MARCOS-Based Ranking of the DA Variants

A summarized version of the rankings of the eight DA variants with respect to computational time (T), Friedman's rank based on the derived optimal solutions (F) and convergence rate (C) for the four case studies under consideration is provided in Table 5. It can be interestingly noticed that for the four industrial chemical process problems, there are some discrepancies in the optimization performance of the eight DA variants in respect of computational time, Friedman's rank based on the optimal solutions and convergence rate. For example, in case of the HEND problem, DADE ranks best in terms of computational time and convergence rate, but is inferior to QGDA and classical DA with respect to the optimal solution obtained. Thus, there is an ardent need to holistically analyse these algorithms and their performance on multiple case studies based on different evaluation criteria. Moreover, if the obtained rankings are directly aggregated, it would mean that equal importance is assigned to each of the criteria which would be an oversimplification of the problem. Thus, a fuzzy scale for assigning relative importance to each criterion is considered, as provided in Table 6.

Five experts (decision makers) are subsequently asked to provide their opinions on the importance on the three evaluation criteria using the fuzzy linguistic scale. Table 7 shows the assigned importance for each criterion by each expert and the corresponding triangular fuzzy number. It can be observed that all the experts deem information related to the optimal solution (FNRT criterion) as relatively the most important one. Based on the aggregation of the triangular fuzzy numbers for each of the criteria for all the experts, the corresponding fuzzy criteria weights are obtained as (3.8, 4.6, 5.8), (5.8, 7, 7.8) and (3.8, 5, 5.8) for T, F and C respectively.

It should be noted that only the aggregated values of T, F and C in Table 5 constitute the decision matrix. Thus, the initial decision matrix has an 8×3 format (Table 8). It is normalized using equations (5) and (6). The normalized decision matrix is presented in

Table 5
Summary of performance of the DA variants on the four case studies.

Problem Criteria	HEND			OOAU			RND			HPP			Aggregated		
	T	F	C	T	F	C	T	F	C	T	F	C	T	F	C
DADE	1	3	1	1	2	2	1	3	2	1	3	1	1.00	2.75	1.50
QGDA	2	1	7	4	1	3	3	2	6	2	1	4	2.75	1.25	5.00
MHDA	8	3	6	5	5	5	7	4	3	8	7	2	7.00	4.75	4.00
BMDA	5	6	3	7	6	7	8	5	7	3	5	8	5.75	5.50	6.25
INMDA	7	6	8	6	8	8	2	8	4	6	6	7	5.25	7.00	6.75
HDA	4	8	2	3	6	4	4	6	1	4	8	5	3.75	7.00	3.00
CDA	6	3	5	8	4	6	5	6	5	5	4	6	6.00	4.25	5.50
DA	3	2	4	2	2	1	6	1	8	7	2	3	4.50	1.75	4.00

Table 6
Fuzzy scale considered in this paper.

Linguistic term for criteria importance	Symbol	Triangular fuzzy number
Extremely Poor	EP	(1, 1, 1)
Very Poor	VP	(1, 1, 3)
Poor	P	(1, 3, 3)
Medium Poor	MP	(3, 3, 5)
Medium	M	(3, 5, 5)
Medium Good	MG	(5, 5, 7)
Good	G	(5, 7, 7)
Very Good	VG	(7, 7, 9)
Extremely Good	EG	(7, 9, 9)

Table 7
Importance assigned to each criterion by the experts.

Decision maker	Linguistic term			Triangular fuzzy number		
	T	F	C	T	F	C
Expert 1	VG	EG	G	(7, 7, 9)	(7, 9, 9)	(5, 7, 7)
Expert 2	MG	G	VP	(5, 5, 7)	(5, 5, 7)	(1, 1, 3)
Expert 3	P	MG	M	(1, 3, 3)	(5, 5, 7)	(3, 5, 5)
Expert 4	MP	G	MG	(3, 3, 5)	(5, 7, 7)	(5, 7, 7)
Expert 5	M	VG	G	(3, 5, 5)	(7, 7, 9)	(5, 7, 7)

Table 8
Decision matrix and its normalization.

Problem Criteria	Decision matrix			Normalized decision matrix		
	T	F	C	T	F	C
DADE	1.00	2.75	1.50	1.0000	0.4545	1.0000
QGDA	2.75	1.25	5.00	0.3636	1.0000	0.3000
MHDA	7.00	4.75	4.00	0.1429	0.2632	0.3750
BMDA	5.75	5.50	6.25	0.1739	0.2273	0.2400
INMDA	5.25	7.00	6.75	0.1905	0.1786	0.2222
HDA	3.75	7.00	3.00	0.2667	0.1786	0.5000
CDA	6.00	4.25	5.50	0.1667	0.2941	0.2727
DA	4.50	1.75	4.00	0.2222	0.7143	0.3750
Anti-ideal (AI) solution	1.00	1.25	1.50	1.00	1.00	1.00
Ideal (ID) solutions	7.00	7.00	6.75	0.1429	0.1786	0.2222

Table 8. Sample calculations of normalization are shown below:

$$n_{DADE,T} = \frac{x_{id}}{x_{ij}} = \frac{1}{1} = 1; \quad n_{DADE,F} = \frac{1.25}{2.75} = 0.45; \quad n_{DADE,C} = \frac{1.5}{1.5} = 1;$$

$$n_{QGDA,T} = \frac{1}{2.75} = 0.36; \quad n_{QGDA,F} = \frac{1.25}{1.25} = 1; \quad n_{QGDA,C} = \frac{1.5}{5.0} = 0.3.$$

The fuzzy weighted normalized decision matrix is presented in Table 9 along with the computed values of \tilde{S}_i parameter. Sample calculations for fuzzy weighted normalized

Table 9
Fuzzy-weighted normalized decision matrix.

Alternative	T	F	C	\tilde{S}_i
AI	(0.543, 0.657, 0.827)	(1.036, 1.25, 1.393)	(0.844, 1.111, 1.289)	(2.423, 3.018, 3.510)
DADE	(3.800, 4.600, 5.800)	(2.636, 3.182, 3.545)	(3.800, 5.000, 5.800)	(10.236, 12.782, 15.145)
QGDA	(1.382, 1.673, 2.109)	(5.800, 7.000, 7.800)	(1.140, 1.500, 1.740)	(8.322, 10.173, 11.649)
MHDA	(0.543, 0.657, 0.829)	(1.526, 1.842, 2.053)	(1.425, 1.875, 2.175)	(3.494, 4.374, 5.056)
BMDA	(0.661, 0.800, 1.009)	(1.318, 1.591, 1.773)	(0.912, 1.200, 1.392)	(2.891, 3.591, 4.173)
INMDA	(0.724, 0.876, 1.105)	(1.036, 1.250, 1.393)	(0.844, 1.111, 1.289)	(2.604, 3.237, 3.786)
HDA	(1.013, 1.227, 1.547)	(1.036, 1.250, 1.393)	(1.900, 2.500, 2.900)	(3.949, 4.977, 5.839)
CDA	(0.633, 0.767, 0.967)	(1.706, 2.059, 2.294)	(1.036, 1.364, 1.582)	(3.376, 4.189, 4.843)
DA	(0.844, 1.022, 1.289)	(4.143, 5.000, 5.571)	(1.425, 1.875, 2.175)	(6.412, 7.897, 9.035)
ID	(3.800, 4.600, 5.800)	(5.800, 7.000, 7.800)	(3.800, 5.000, 5.800)	(13.400, 16.600, 19.400)

decision matrix using equation (7) are shown below:

$$\begin{aligned}
 \tilde{v}_{DADE,T} &= (n_{ij} \times w_j^l, n_{ij} \times w_j^m, n_{ij} \times w_j^u) = (1 \times 3.8, 1 \times 4.6, 1 \times 5.8) \\
 &= (3.8, 4.6, 5.8), \\
 \tilde{v}_{DADE,F} &= (0.4545 \times 5.8, 0.4545 \times 7, 0.4545 \times 7.8) = (2.636, 3.182, 3.545), \\
 \tilde{v}_{DADE,C} &= (1 \times 3.8, 1 \times 5, 1 \times 5.8) = (3.8, 5, 5.8), \\
 \tilde{v}_{QGDA,T} &= (0.3636 \times 3.8, 0.3636 \times 4.6, 0.3636 \times 5.8) = (1.382, 1.673, 2.109), \\
 \tilde{v}_{QGDA,F} &= (1 \times 5.8, 1 \times 7, 1 \times 7.8) = (5.8, 7, 7.8), \\
 \tilde{v}_{QGDA,C} &= (0.3 \times 3.8, 0.3 \times 5, 0.3 \times 5.8) = (1.14, 1.5, 1.74).
 \end{aligned}$$

Similarly, sample calculations for \tilde{S}_i parameter using equation (10) are shown below:

$$\begin{aligned}
 \tilde{S}_{DADE} &= \sum_{j=1}^n \tilde{v}_{ij} = (3.8 + 2.636 + 3.8, 4.6 + 3.182 + 5, 5.8 + 3.545 + 5.8) \\
 &= (10.236, 12.782, 15.145), \\
 \tilde{S}_{QGDA} &= (1.382 + 5.8 + 1.14, 1.673 + 7 + 1.5, 2.109 + 7.8 + 1.74) \\
 &= (8.322, 10.173, 11.649).
 \end{aligned}$$

The corresponding fuzzy values of utility degree and utility function are subsequently calculated for each of the alternatives, as exhibited in Table 10. Sample calculations for \tilde{K}_i^- using equation (8) are shown below:

$$\begin{aligned}
 \tilde{K}_{DADE}^- &= \frac{\tilde{S}_i}{\tilde{S}_{ai}} = \left(\frac{s_i^l}{s_{ai}^u}, \frac{s_i^m}{s_{ai}^m}, \frac{s_i^u}{s_{ai}^l} \right) = \left(\frac{10.236}{3.510}, \frac{12.782}{3.018}, \frac{15.145}{2.423} \right) \\
 &= (2.916, 4.235, 6.251), \\
 \tilde{K}_{QGDA}^- &= \left(\frac{8.322}{3.510}, \frac{10.173}{3.018}, \frac{11.649}{2.423} \right) = (2.371, 3.370, 4.808).
 \end{aligned}$$

Table 10
Utility degree and utility function of the DA variants.

Alternative	Utility degree		Utility function	
	\tilde{K}_i^-	\tilde{K}_i^+	$f(\tilde{K}_i^-)$	$f(\tilde{K}_i^+)$
DADE	(2.916, 4.235, 6.251)	(0.528, 0.770, 1.130)	(0.103, 0.150, 0.220)	(0.567, 0.824, 1.216)
QGDA	(2.371, 3.370, 4.808)	(0.429, 0.613, 0.869)	(0.083, 0.119, 0.169)	(0.461, 0.656, 0.935)
MHDA	(0.995, 1.449, 2.087)	(0.180, 0.263, 0.377)	(0.035, 0.051, 0.073)	(0.194, 0.282, 0.406)
BMDA	(0.824, 1.190, 1.722)	(0.149, 0.216, 0.311)	(0.029, 0.042, 0.067)	(0.160, 0.231, 0.335)
INMDA	(0.742, 1.073, 1.563)	(0.134, 0.195, 0.283)	(0.026, 0.038, 0.055)	(0.144, 0.209, 0.304)
HDA	(1.125, 1.649, 2.410)	(0.204, 0.300, 0.436)	(0.040, 0.058, 0.085)	(0.219, 0.321, 0.469)
CDA	(0.962, 1.388, 1.999)	(0.174, 0.252, 0.361)	(0.034, 0.049, 0.070)	(0.187, 0.270, 0.389)
DA	(1.827, 2.616, 3.729)	(0.330, 0.476, 0.674)	(0.064, 0.092, 0.131)	(0.355, 0.509, 0.725)

Similarly, sample calculations for \tilde{K}_i^+ using equation (9) are shown below:

$$\begin{aligned} \tilde{K}_{DADE}^+ &= \frac{\tilde{S}_i}{\tilde{S}_{id}} = \left(\frac{s_i^l}{s_{id}^u}, \frac{s_i^m}{s_{id}^m}, \frac{s_i^u}{s_{id}^l} \right) = \left(\frac{10.236}{19.4}, \frac{12.782}{16.6}, \frac{15.145}{13.4} \right) \\ &= (0.528, 0.770, 1.130), \\ \tilde{K}_{QGDA}^+ &= \left(\frac{8.322}{19.4}, \frac{10.173}{16.6}, \frac{11.649}{13.4} \right) = (0.429, 0.613, 0.869). \end{aligned}$$

The \tilde{T}_i and df_{crisp} are calculated using equations (11) and (14) respectively:

$$\begin{aligned} \tilde{t}_{DADE} &= (t_i^l, t_i^m, t_i^u) = \tilde{K}_i^- \oplus \tilde{K}_i^+ = (k_i^{-l} + k_i^{+l}, k_i^{-m} + k_i^{+m}, k_i^{-u} + k_i^{+u}) \\ &= (2.916 + 0.528, 4.235 + 0.77, 6.251 + 1.13) \\ &= (3.444, 5.005, 7.381), \\ \tilde{t}_{QGDA} &= (t_i^l, t_i^m, t_i^u) = \tilde{K}_i^- \oplus \tilde{K}_i^+ = (k_i^{-l} + k_i^{+l}, k_i^{-m} + k_i^{+m}, k_i^{-u} + k_i^{+u}) \\ &= (2.371 + 0.429, 3.37 + 0.613, 4.808 + 0.869) \\ &= (2.799, 3.983, 5.677), \\ df_{crisp} &= \frac{l + 4m + u}{6} = \frac{3.444 + (4 \times 5.005) + 7.381}{6} = 5.14. \end{aligned}$$

The $f(\tilde{K}_i^+)$ and $f(\tilde{K}_i^-)$ are computed using equation (12) and (13), as shown below:

$$\begin{aligned} f(\tilde{K}_{DADE}^+) &= \frac{\tilde{K}_i^-}{df_{crisp}} = \left(\frac{k_i^{-l}}{df_{crisp}}, \frac{k_i^{-m}}{df_{crisp}}, \frac{k_i^{-u}}{df_{crisp}} \right) = \left(\frac{2.916}{5.14}, \frac{4.235}{5.14}, \frac{6.251}{5.14} \right) \\ &= (0.567, 0.824, 1.216), \\ f(\tilde{K}_{QGDA}^+) &= \left(\frac{2.371}{5.14}, \frac{3.37}{5.14}, \frac{4.808}{5.14} \right) = (0.461, 0.656, 0.935), \end{aligned}$$

Table 11
Defuzzified utility degree, utility function and ranks of the DA variants.

Alternative	K_i^-	K_i^+	$f(K_i^-)$	$f(K_i^+)$	$\frac{(1-f(K_i^-))}{f(K_i^-)}$	$\frac{(1-f(K_i^+))}{f(K_i^+)}$	$f(K_i)$	Rank
DADE	4.3510	0.7896	0.1536	0.8464	5.5101	0.1815	0.7682	1
QGDA	3.4433	0.6249	0.1216	0.6698	7.2260	0.4929	0.4666	2
MHDA	1.4799	0.2686	0.0522	0.2879	18.1402	2.4737	0.0809	5
BMDA	1.2175	0.2210	0.0430	0.2368	22.2653	3.2224	0.0543	7
INMDA	1.0991	0.1995	0.0388	0.2138	24.7705	3.6770	0.0441	8
HDA	1.6884	0.3064	0.0596	0.3284	15.7763	2.0447	0.1060	4
CDA	1.4187	0.2575	0.0501	0.2760	18.9661	2.6236	0.0742	6
DA	2.6703	0.4846	0.0943	0.5194	9.6075	0.9251	0.2736	3

$$f(\tilde{K}_{DADE}^-) = \frac{\tilde{K}_i^+}{df_{crisp}} = \left(\frac{k_i^{+l}}{df_{crisp}}, \frac{k_i^{+m}}{df_{crisp}}, \frac{k_i^{+u}}{df_{crisp}} \right) = \left(\frac{0.528}{5.14}, \frac{0.77}{5.14}, \frac{1.13}{5.14} \right) \\ = (0.103, 0.150, 0.220),$$

$$f(\tilde{K}_{QGDA}^-) = \left(\frac{0.429}{5.14}, \frac{0.613}{5.14}, \frac{0.869}{5.14} \right) = (0.083, 0.119, 0.169).$$

After deriving the utility degree and utility function for each alternative, their values are finally defuzzified. These defuzzified values of utility degree and utility function along with the final rankings of the alternatives are provided in Table 11. The K_i^- and K_i^+ are computed as follows:

$$K_{DADE}^- = \frac{2.916 + (4 \times 4.235) + 6.251}{6} = 4.351,$$

$$K_{QGDA}^- = \frac{2.371 + (4 \times 3.37) + 4.808}{6} = 3.443,$$

$$K_{DADE}^+ = \frac{0.528 + (4 \times 0.77) + 1.13}{6} = 0.7896,$$

$$K_{QGDA}^+ = \frac{0.429 + (4 \times 0.613) + 0.869}{6} = 0.6249.$$

The $f(K_i^-)$ and $f(K_i^+)$ are computed as follows:

$$f(K_{DADE}^-) = \frac{0.103 + (4 \times 0.15) + 0.22}{6} = 0.1536,$$

$$f(K_{QGDA}^-) = \frac{0.083 + (4 \times 0.119) + 0.169}{6} = 0.1216,$$

$$f(K_{DADE}^+) = \frac{0.567 + (4 \times 0.824) + 1.216}{6} = 0.8464,$$

$$f(K_{DADE}^+) = \frac{0.461 + (4 \times 0.656) + 0.935}{6} = 0.6698.$$

Similarly, the $f(K_i)$ is computed using equation (16):

$$f(K_{DADE}) = \frac{K_i^+ + K_i^-}{1 + \frac{1-f(K_i^+)}{f(K_i^+)} + \frac{1-f(K_i^-)}{f(K_i^-)}} = \frac{0.7896 + 4.3510}{1 + \frac{(1-0.8464)}{0.8464} + \frac{(1-0.1536)}{0.1536}} = 0.7682,$$

$$f(K_{QGDA}) = \frac{0.6249 + 3.4433}{1 + \frac{(1-0.6698)}{0.6698} + \frac{(1-0.1216)}{0.1216}} = 0.4666.$$

Thus, based on the considered industrial chemical process optimization problems, the application of fuzzy MARCOS method leads to relative ranking of the eight DA variants as $DADE > QGDA > DA > HDA > MHDA > CDA > BMDA > INMDA$.

6. Conclusions

In the last decade, a plethora of optimization algorithms has been developed by the researchers to solve a variety of complex problems. Among various application fields, industrial process optimization is a realistic application area where an optimized solution can directly lead to real-world benefits. In this paper, the performance of eight different variants of DA is comprehensively studied based on four complex industrial chemical process optimization case studies. Evaluation of the considered DA variants is carried out from the standpoint of convergence criterion, time intensiveness and quality of the solution obtained. The quality of the solution is assessed while measuring the best solution derived, mean best solution obtained and dispersion of the derived solutions on 30 repeated trials. To amalgamate all this information on the solution quality, Friedman’s test ranks are also computed. Finally, employing a group decision-making approach under fuzzy environment, the information derived from convergence criterion, time intensiveness and solution quality is translated into a relative ranking of the eight DA variants as $DADE > QGDA > DA > HDA > MHDA > CDA > BMDA > INMDA$. It can be interestingly noted that despite its simplicity, DA outperforms many of its better endowed variants. The derived observations would thus help the future researchers in identifying the most promising DA variants. Moreover, the comprehensive methodology followed to evaluate the optimization techniques can also be replicated by the researchers for analysis of other algorithms as well.

However, despite the comprehensiveness of the study, these findings also come with caveats. The scalability of the tested algorithms and the computational resources required are potential limitations, as is the transferability of the current results to other, perhaps larger-scale industrial contexts. These factors may influence the broader applicability of the conclusions and are critical considerations for future research endeavours.

In terms of future scope, an expansion of this research to include a broader array of DA subtypes, such as those enhanced through hybridization with grey wolf optimization, genetic algorithms, and binary dragonfly improved particle swarm optimization can be undertaken. Furthermore, the potential of multi-objective DA variations remains an enticing

prospect for further investigations. In light of this study's scope and its constraints, particularly the length of this paper, a comprehensive discussion on every existing DA variant was not feasible. Yet, this constraint opens the door for future work that can explore these additional variants, ideally leading to the development of more refined, context-specific optimization tools. It is hoped the methodological rigour and the analytical framework presented herein will not only inform but also inspire subsequent research in this domain.

References

- Abedi, M., Gharehchopogh, F.S. (2020). An improved opposition based learning firefly algorithm with dragonfly algorithm for solving continuous optimization problems. *Intelligent Data Analysis*, 24(2), 309–338.
- Abualigah, L., Diabat, A., Mirjalili, S., Abd Elaziz, M., Gandomi, A.H. (2021). The arithmetic optimization algorithm. *Computer Methods in Applied Mechanics and Engineering*, 376, 113609.
- Badi, I., Muhammad, L., Abubakar, M., Bakır, M. (2022). Measuring sustainability performance indicators using FUCOM-MARCOS methods. *Operational Research in Engineering Sciences: Theory and Applications*, 5(2), 99–116.
- Bakır, M., Atalık, Ö. (2021). Application of fuzzy AHP and fuzzy MARCOS approach for the evaluation of e-service quality in the airline industry. *Decision Making: Applications in Management and Engineering*, 4(1), 127–152.
- Bakır, M., Akan, Ş., Özdemir, E. (2021). Regional aircraft selection with fuzzy PIPRECIA and fuzzy MARCOS: A case study of the Turkish airline industry. *Facta Universitatis, Series: Mechanical Engineering*, 19(3), 423–445.
- Biswal, S., Sahoo, B.B., Jeet, S., Barua, A., Kumari, K., Naik, B., Pradhan, S. (2023). Experimental investigation based on MCDM optimization of electrical discharge machined Al-WC-B⁴C hybrid composite using Taguchi-MARCOS method. *Materials Today: Proceedings*, 74, 587–594.
- Blum, C., Roli, A. (2003). Metaheuristics in combinatorial optimization: Overview and conceptual comparison. *ACM Computing Surveys (CSUR)*, 35(3), 268–308.
- Can, U., Alatas, B. (2017). Performance comparisons of current metaheuristic algorithms on unconstrained optimization problems. *Periodicals of Engineering and Natural Sciences*, 5(3), 328–340.
- Chakraborty, S., Chattopadhyay, R., Chakraborty, S. (2020). An integrated D-MARCOS method for supplier selection in an iron and steel industry. *Decision Making: Applications in Management and Engineering*, 3(2), 49–69.
- Cheng, L., Wu, X.-h., Wang, Y. (2018). Artificial flora (AF) optimization algorithm. *Applied Sciences*, 8(3), 329.
- Debnath, S., Baishya, S., Sen, D., Arif, W. (2021). A hybrid memory-based dragonfly algorithm with differential evolution for engineering application. *Engineering with Computers*, 37, 2775–2802.
- Deveci, M., Özcan, E., John, R., Pamucar, D., Karaman, H. (2021). Offshore wind farm site selection using interval rough numbers based Best-Worst Method and MARCOS. *Applied Soft Computing*, 109, 107532.
- Dhiman, G., Kumar, V. (2019). Seagull optimization algorithm: theory and its applications for large-scale industrial engineering problems. *Knowledge-Based Systems*, 165, 169–196.
- Faramarzi, A., Heidarinejad, M., Mirjalili, S., Gandomi, A.H. (2020). Marine predators algorithm: a nature-inspired metaheuristic. *Expert Systems with Applications*, 152, 113377.
- Floudas, C., Ciric, A. (1989). Strategies for overcoming uncertainties in heat exchanger network synthesis. *Computers & Chemical Engineering*, 13(10), 1133–1152.
- Floudas, C.A., Pardalos, P.M. (1990). *A Collection of Test Problems for Constrained Global Optimization Algorithms*. Springer.
- Ghanem, W.A., Jantan, A. (2018). A cognitively inspired hybridization of artificial bee colony and dragonfly algorithms for training multi-layer perceptrons. *Cognitive Computation*, 10, 1096–1134.
- Holland, J.H. (1992). Genetic algorithms. *Scientific American*, 267(1), 66–73.
- Jawad, F.K., Mahmood, M., Wang, D., Al-Azzawi, O., Al-Jamely, A. (2021). Heuristic dragonfly algorithm for optimal design of truss structures with discrete variables. *Structures*, 29, pp. 843–862.
- Joshi, M., Ghadai, R.K., Madhu, S., Kalita, K., Gao, X.-Z. (2021). Comparison of NSGA-II, MOALO and MODA for multi-objective optimization of micro-machining processes. *Materials*, 14(17), 5109.

- Kennedy, J., Eberhart, R. (1995). Particle swarm optimization. In: *Proceedings of ICNN'95 – International Conference on Neural Networks*, Vol. 4, pp. 1942–1948.
- Khalilpourazari, S., Khalilpourazary, S. (2020). Optimization of time, cost and surface roughness in grinding process using a robust multi-objective dragonfly algorithm. *Neural Computing and Applications*, 32, 3987–3998.
- Kirkpatrick, S., Gelatt Jr., C., Vecchi, M.P. (1983). Optimization by simulated annealing. *Science*, 200, 671–680.
- Mafarja, M., Aljarah, I., Heidari, A.A., Faris, H., Fournier-Viger, P., Li, X., Mirjalili, S. (2018). Binary dragonfly optimization for feature selection using time-varying transfer functions. *Knowledge-Based Systems*, 161, 185–204.
- Mirjalili, S. (2015). Moth-flame optimization algorithm: a novel nature-inspired heuristic paradigm. *Knowledge-Based Systems*, 89, 228–249.
- Mirjalili, S. (2016). Dragonfly algorithm: a new meta-heuristic optimization technique for solving single-objective, discrete, and multi-objective problems. *Neural computing and applications*, 27, 1053–1073.
- Mirjalili, S., Mirjalili, S.M., Lewis, A. (2014). Grey wolf optimizer. *Advances in Engineering Software*, 69, 46–61.
- Mzili, T., Riffi, M.E., Mzili, I., Dhiman, G. (2022). A novel discrete Rat swarm optimization (DRSO) algorithm for solving the traveling salesman problem. *Decision Making: Applications in Management and Engineering*, 5(2), 287–299.
- Neshat, M., Sepidnam, G., Sargolzaei, M. (2013). Swallow swarm optimization algorithm: a new method to optimization. *Neural Computing and Applications*, 23(2), 429–454.
- Reddy, A.S. (2016). Optimization of distribution network reconfiguration using dragonfly algorithm. *Journal of Electrical Engineering*, 16(4), 10.
- Ryoo, H.S., Sahinidis, N.V. (1995). Global optimization of nonconvex NLPs and MINLPs with applications in process design. *Computers & Chemical Engineering*, 19(5), 551–566.
- Saremi, S., Mirjalili, S., Lewis, A. (2017). Grasshopper optimisation algorithm: theory and application. *Advances in Engineering Software*, 105, 30–47.
- Sauer, R., Colville, A., Burwick, C. (1964). Computer points way to more profits. *Hydrocarbon Processing*, 84(2).
- Sayed, G.I., Tharwat, A., Hassanien, A.E. (2019). Chaotic dragonfly algorithm: an improved metaheuristic algorithm for feature selection. *Applied Intelligence*, 49, 188–205.
- Shirani, M.R., Safi-Esfahani, F. (2020). BMDA: applying biogeography-based optimization algorithm and Mexican hat wavelet to improve dragonfly algorithm. *Soft Computing*, 24(21), 15979–16004.
- Sörensen, K., Glover, F. (2013). Metaheuristics. *Encyclopedia of Operations Research and Management Science*, 62, 960–970.
- Sree Ranjini, K.S., Murugan, S. (2017). Memory based hybrid dragonfly algorithm for numerical optimization problems. *Expert Systems with Applications*, 83, 63–78.
- Stanković, M., Stević, Ž., Das, D.K., Subotić, M., Pamučar, D. (2020). A new fuzzy MARCOS method for road traffic risk analysis. *Mathematics*, 8(3), 457.
- Stević, Ž., Pamučar, D., Puška, A., Chatterjee, P. (2020). Sustainable supplier selection in healthcare industries using a new MCDM method: measurement of alternatives and ranking according to Compromise solution (MARCOS). *Computers & Industrial Engineering*, 140, 106231.
- Xu, J., Yan, F. (2019). Hybrid Nelder–Mead algorithm and dragonfly algorithm for function optimization and the training of a multilayer perceptron. *Arabian Journal for Science and Engineering*, 44, 3473–3487.
- Yang, X.-S. (2012). Flower pollination algorithm for global optimization. In: *International Conference on Unconventional Computing and Natural Computation*, pp. 240–249, Springer.
- Yu, C., Cai, Z., Ye, X., Wang, M., Zhao, X., Liang, G., Chen, H., Li, C. (2020). Quantum-like mutation-induced dragonfly-inspired optimization approach. *Mathematics and Computers in Simulation*, 178, 259–289.

K. Kalita is an associate professor at the Mechanical Engineering Department at Vel Tech University, India. With a dedicated focus on research, K. Kalita specializes in optimizing composite laminated structures. This specialization is complemented by a strong background in computational mechanics and soft computing techniques, contributing significantly to the field through innovative research and academic excellence.

N. Ganesh brings a wealth of experience to his role as a senior associate professor at the School of Computer Science and Engineering, Vellore Institute of Technology, Chennai Campus. With a career spanning nearly two decades in teaching, training and research, he has established himself as an authority in this field. His research interests are diverse and forward-thinking, encompassing software engineering, agile software development, prediction and optimization techniques, deep learning, image processing and data analytics.

R. Shankar serves as an associate professor in the Department of Computer Science and Engineering at the Koneru Lakshmaiah Education Foundation in Vaddeswaram, India. His research interests are software development optimization, deep learning and data analytics.

S. Chakraborty is a distinguished member of the faculty at Jadavpur University's Department of Production Engineering in India. Renowned for contributions to academia and research, professor Chakraborty is a regular reviewer for several journals of international repute. The research interests of professor Chakraborty encompass a broad range of topics including operations research, multi-criteria decision making, statistical quality control and soft computing.