

Integration of Analytic Hierarchy Process and Multi Attributive Border Approximation Area Comparison for the Hybrid Vehicle Selection Problem in Intuitionistic Fuzzy Environment

Esra AYTAÇ ADALI*, Ayşegül TUŞ

Department of Business Administration, Pamukkale University, 20070, Denizli, Türkiye
e-mail: eaytac@pau.edu.tr, atus@pau.edu.tr

Received: January 2025; accepted: May 2025

Abstract. Nowadays sustainability and transportation concepts have been incorporated by the authorities and engineers. The indicator of this situation is the introduction of hybrid vehicles into the market. For the consumers, the purchasing process of hybrid vehicles is not easy because of the many alternatives with different brands including different properties. This process is considered a multi criteria problem with multi alternatives. This paper aims to develop a solution methodology for this problem of a company. The proposed methodology integrates the Interval Valued Intuitionistic Fuzzy (IVIF) sets and two Multi Criteria Decision Making (MCDM) methods; Analytic Hierarchy Process (AHP) and the Multi Attributive Border Approximation Area Comparison (MABAC). With the help of IVIF sets, the fuzziness in the structures of the decision problem and decision-making process is overcome. The IVIF AHP evaluation has revealed the importance that consumers attach to the criteria. According to the IVIF AHP results, each of the criteria has a similar weight. According to the IVIF MABAC results, the ranking order of the hybrid vehicle alternatives is specified as $A_1-A_2-A_3-A_5-A_4$. The advantage of the integrated IVIF AHP and IVIF MABAC approach is that it helps in evaluating the most suitable alternatives when there is a disagreement about the relative suitability of the criteria and requires less numerical calculations. The results and the comparative analysis conducted in the study also support this situation.

Key words: Interval Valued Intuitionistic Fuzzy sets, Analytic Hierarchy Process, Multi Attributive Border Approximation Area Comparison, hybrid vehicle selection, sustainability.

1. Introduction

Globalization and expansion of the industries cause many environmental problems such as climate change, noise, and air pollution (Haque and Sharif, 2021). The automobile industry is one of the leading contributors worsening environmental issues in terms of a large proportion of greenhouse gases, especially carbon dioxide emission from vehicles (Hu *et al.*, 2021). To protect the environment, the use of the green products that consume

*Corresponding author.

green energy is very important (Neizari *et al.*, 2017). In this manner, hybrid vehicles have become popular and reshaped the automobile industry (Soon *et al.*, 2013). Hybrid vehicles which are environmentally friendly products have many features to make significant contributions to the reduction of environmental problems. They consume less power and consequently produce less carbon dioxide than other non-hybrid vehicles (Neizari *et al.*, 2017; Pielecha *et al.*, 2020). Their engine powers are supported by a small internal combustion engine and a batteries' bank during the acceleration (Suppes and Storvick, 2016; Wang *et al.*, 2023a). Namely, they combine both a gasoline-powered engine and an electric motor (Cekerevac, 2025). In addition, some types of hybrid vehicles use solar and wind power to store electricity (Neizari *et al.*, 2017). On the other hand, hybrid vehicle investments are very important for the country's economy. Thanks to these investments, carbon emissions can be reduced, new job opportunities can be created to solve the unemployment problem, and the trade volume of many companies in the supply chain can increase. In summary, these investments have a great impact both environmentally and economically (Eti *et al.*, 2025).

Especially in recent years, factors such as the increase in awareness about global warming and the environment, the decrease in the advantage of diesel and even its ban in some countries have started to direct users to hybrid vehicles. While a similar trend draws attention in Türkiye, it is observed that sales are increasing rapidly. In addition to individual customers, private companies, especially companies that want to reduce their carbon footprint, public institutions and fleets have started to turn to hybrid vehicles.

The fact that hybrid vehicles are becoming increasingly popular around the world is also reflected in the sales statistics. Hybrid vehicles captured 3.2% of the light vehicle market in 2013 and 5.5% in 2021 (Bureau of Transportation Statistics, 2024). In 2021, global hybrid vehicle sales reached 834,000 units while Toyota has sold over 16 million hybrids since 1997. Hybrid vehicles accounted for 18.75% of European new vehicle sales in 2020 and 4.4% of US new vehicle sales in 2021. The statistics demonstrate that hybrid vehicle sales have been increasing globally, with particularly strong growth seen in Europe and the United States. Also, China's hybrid vehicle sales reached 172,000 units during the first half of 2021 alone (Gitnux Editorial Team, 2024).

Driver wages, fuel, automotive components and service costs increased significantly from 2021 to 2023 in Türkiye. When fuel costs of commercial or service vehicles were compared between 2021 and 2023, an increase of at least 3 times (300%) was observed. This situation reveals how important savings and improvements are for the environment and the economy (Tütüncü *et al.*, 2023). According to TUIK data, while 5,980 hybrid cars were registered in 2023, this number increased to 12,941 in 2024. The share of hybrid vehicles in total registrations is 11.4% in Türkiye (Türkiye Statistical Institute, 2025). The global hybrid vehicle market size was evaluated at 156.97 billion \$ in 2023. It is estimated that the hybrid vehicle sector will exhibit a compound annual growth rate of 26.03% from 2024 to 2032 (Market Research Future, 2025).

The decision to purchase a hybrid vehicle requires rigorous analysis since there are many hybrid vehicle alternatives with almost similar hybrid features. Selecting and purchasing a proper hybrid vehicle is a classical Multi Criteria Decision Making (MCDM)

problem including conflicting quantitative and qualitative criteria such as hybrid type, powertrain features, price, safety, and reliability. Most of these criteria are evaluated with human judgments which cannot be quantified precisely. In other words, it is not easy to give the exact values to the criteria weights and performances of the alternatives under each criterion. In the literature, such problems have been solved by the fuzzy set theory developed by Zadeh (1965) (Zhang *et al.*, 2016). Many methods and theories have been proposed based on fuzzy set theory to process imprecision and uncertainty. However, the basic component of fuzzy sets is only a degree of membership. Atanassov (1986) generalized the idea of Zadeh (1965) to Intuitionistic Fuzzy (IF) sets. IF sets use both membership and non-membership degrees and the sum of them is less than one (Jamkhaneh and Nadarajah, 2015). The membership, non-membership and hesitancy functions are the main elements of IF sets (Onar *et al.*, 2015; Ali *et al.*, 2023; Asif *et al.*, 2025). A fuzzy set is also an IF set. The sum of the membership and non-membership degrees is one. But the sum of two degrees can be less than one. It means that there is a certain uncertainty in the membership or non-membership decision. IF set is a suitable tool for such situations (Jamkhaneh and Nadarajah, 2015). Then, IVIF sets were developed by Atanassov and Gargov (1989). Membership and non-membership function values of IVIF sets are defined as intervals rather than a single number (Li, 2011; Zhang *et al.*, 2016). Some authors have argued that an IVIF set is more powerful, practical and flexible tool to cope with fuzziness and uncertainty than the other types of IF set (Chen *et al.*, 2011; Onar *et al.*, 2015). They have a strong ability to express uncertainty in terms of membership, non-membership, and hesitation degrees (Fan and Xiao, 2020).

This paper contributes to hybrid vehicles selection and IVIF sets integrated with Analytic Hierarchy Process (AHP) and Multi-Attributive Border Approximation Area Comparison (MABAC) methods. The presented approach handles the uncertainty and fuzziness in the problem under the IF environment. IF sets are used for incomplete and incompletely defined data since they include uncertainty. So, it provides more consistent results. With the help of IF sets, the situations where fuzzy sets cannot respond or are insufficient are handled efficiently (Tuğrul and Cıtil, 2022). On the other hand, the presented approach utilized the IVIF numbers that are tools of IF sets. Both membership and non-membership degrees are in interval format in IVIF numbers. There are some advantages and disadvantages of using IVIF numbers instead of fuzzy numbers or IF numbers in the decision-making process and therefore in the MCDM methods used;

i) Fuzzy set considers only membership degree, IF set considers both membership and non-membership degree. The type of membership value is fixed real-valued for fuzzy set and IF set. IVIF set also considers both membership and non-membership degree with interval format. ii) In fuzzy set, the parameter value is not precise; in IF set, it is more precise; and in IVIF set it is most precise. iii) Hesitation degree cannot find out in fuzzy set, while it can find out in IF set and IVIF set. iv) Boundaries are fixed in fuzzy set and IF set but there is interval valued fixed boundaries in IVIF set. v) The accuracy and efficiency are low in fuzzy set, average in IF set and high in IVIF set. vi) Fuzzy set measures the belongingness only. IF set measures both the belongingness and nonbelongingness. IVIF set measures both the belongingness and nonbelongingness in interval format. vii) For

robust and effective decision-making, fuzzy set is suitable, IF set is more suitable, IVIF set is the most suitable. viii) Computational method is very easy with fuzzy set, easy with IF set and little complex with IVIF set (Ouyang and Guo, 2018; Wan and Dong, 2020; Chen *et al.*, 2022; Mandal *et al.*, 2024).

In order to utilize all the advantages of the IVIF sets mentioned above and to effectively quantify the uncertainty in the decision-making process and to provide consistent results to the decision makers, a decision-making approach based on AHP and MABAC methods in which IVIF numbers are processed is proposed in this study. Although fuzzy MABAC method has been already integrated with fuzzy AHP to analyse MCDM problems in different fields, they have not been used together under IVIF environment. To the best of our knowledge, there is not any research that integrates IVIF AHP process into IVIF MABAC for the hybrid vehicle selection. The strength of these integrated methods is that, despite the subjectivity and vagueness in the structure of the evaluation process, they can be easily understood and applied.

IVIF AHP is used for determining the hybrid vehicles selection criteria weights. AHP has some outstanding features compared to other subjective weighting methods, and it is suitable for the structure of the problem sought to be solved in this study. It does not require dependencies between criteria as in other methods. It is easy in terms of calculation steps, and effective solutions can be obtained by making pairwise comparisons in determining the criteria weights (Perçin, 2022). In addition, the method is easily adaptable to the IVIF environment. When viewed from this aspect, there are no dependencies between the criteria in the problem of the current study. Also, the number of criteria is relatively low in terms of dragging decision makers into inconsistency. When all these situations are evaluated, performing AHP method and its extension to IVIF sets are appropriate for this study. On the other hand, IVIF MABAC is used for ranking hybrid vehicles alternatives. The main advantages of MABAC method can be listed as having a simple computation process, ability to assign criteria weights, being suitable for the problems with uncertain data, and ability to integrate with different uncertainty theories (Xue *et al.*, 2016; Patel and Chang, 2024). Considering the advantages of both AHP and MABAC methods, it is thought that their extensions under IVIF context are suitable for the problem sought to be solved in this study. By this way, experts' assessments and opinions are evaluated under IVIF environment, and an approach based on group decision making is performed to overcome subjectivity. On the other hand, IVIF extensions of these methods have been used individually in the literature for different applications. These studies are discussed in the second section. However, to the best of our knowledge, IVIF AHP and IVIF MABAC methods are used together for the first time, and are also proposed for the first time for the solution of the hybrid vehicle selection problem. AHP and MABAC methods can be used as decision making methods in various fields. It has been discovered that AHP and MABAC methods have the highest level of agreement between analytical and experimental results when used together (Kumar *et al.*, 2025). One of the most preferred MCDM methods is AHP, and a relatively new distance-based alternative ranking method is MABAC (Büyüközkan *et al.*, 2021b). These two methods have similar applications to the selection process. The advantage of using the AHP and MABAC methods together is

that it requires less numerical computation and helps to evaluate the most appropriate alternatives when there is a disagreement about the relative relevance of the criteria (Salman *et al.*, 2023).

Motivation, novelties and contributions of the study can be summarized as follows:

- Ensuring the world's limited energy supply and environmental sustainability with the climate crisis is one of the most important and critical challenges of recent times and constitutes the motivation of this study. One solution to these problems is the use of hybrid or electric vehicles. From this point of view, the main topic of this study, hybrid vehicle selection, is important in terms of providing a scientific and effective solution to this problem.
- The aim of this study is to solve the hybrid vehicle selection problem. For this aim, the novel decision-making approach including two MCDM methods (AHP and MABAC), which has been widely applied in different fields in the literature, is proposed. The novel contribution of this study is to represent a combination of these methods in order to produce a hybrid model. Moreover, it is proposed to use the extensions of these methods in IVIF environment. With this characteristic, this study is the first in terms of employing IVIF AHP and IVIF MABAC methods in the hybrid vehicle selection area. In both methods, expressing judgments in IVIF numbers allows dealing with inherent uncertainties and ambiguities in the decision-making process more decisively, making them well suited for such multi-criteria analyses. It also leads to more reliable and efficient decisions.
- IVIF AHP differs from classical AHP in that decision makers' judgments are expressed as IVIF numbers. This not only clarifies the uncertainty in the decision-making process but also helps decision makers to more easily present their statements in terms of membership, non-membership, and hesitation degrees. In other words, by using IVIF numbers in the AHP method, decision makers can perform optimistic and pessimistic evaluations. In this way, the results obtained are thought to be more efficient and reliable.
- Despite many successful applications of AHP in which the data in the problem are precisely expressed, there is a gap in the literature regarding the calculation of the criteria weights for hybrid vehicle selection in IVIF environment. The gap filled by this study will provide a guide to the applicability of the AHP method in complex and contradictory real-world applications.
- The main aim of IVIF MABAC is to find the best alternative and the alternative ranking by processing approximation areas, ideal and anti-ideal alternatives like classical MABAC. However, presenting evaluations with linguistic variables to this process and expressing these evaluations with IVIF numbers led to the resolution of ambiguity and to express the thoughts of decision makers more accurately. This generally resulted in the process being concluded with more effective and accurate decisions.
- Sensitivity analysis is provided to test the effects of changing criteria weights on the alternative rankings. Results show that IVIF MABAC method is not sensitive in terms of criteria weights in ranking hybrid vehicle alternatives. Similarly, the study offers a comparative study covering IVIF WASPAS and IVIF TOPSIS methods. The results

obtained from these methods support the results obtained from the methods proposed in the study. In short, from the comparative and sensitivity analysis performed, it is thought that the proposed method can produce quite robust results.

- In general, this study aims to provide a practical decision-making tool to all parties interested in the automotive industry, such as consumers, researchers, policy makers by helping hybrid vehicle alternatives meet specific sustainability goals.
- As a result, in this study, a new solution based on IVIF AHP and IVIF MABAC methods has been proposed for the hybrid car selection problem, which is a popular topic today. This study provides quantitative analysis to understand the criteria for the hybrid vehicles market. Considering all the contributions listed above, it is thought that the proposed solution methodology can be used for complex decision problems and problems where decision makers are active.

The organization of this paper is summarized as follows. Literature review about MCDM studies for hybrid vehicle selection and AHP-MABAC applications under intuitionistic fuzzy environment is given in the next section. In the third section, methodology is introduced, and IVIF sets, IVIF AHP and IVIF MABAC are explained in this section. Then, a case study related with hybrid vehicle selection is represented. Sensitivity and comparative analyses are also included in the same section. After discussion section, conclusion and recommendations are provided in the last section.

2. Literature Review

2.1. MCDM Studies for Hybrid Vehicle Selection

Nowadays, environmental awareness and green marketing have become an important issue. Hybrid vehicles have created a significant improvement in environmental issues. The main aims of efforts in purchasing hybrid vehicles are decreasing greenhouse effect and protecting the environment by reducing carbon dioxide emission (Soon *et al.*, 2013; Zhao *et al.*, 2021). For the smart consumers, the purchasing process of hybrid vehicles is not easy because of the many alternatives with different brands including different selection criteria. So, the hybrid vehicle selection problem is regarded as an MCDM problem in this paper. The main criteria or factors affecting hybrid vehicle selection are hybrid type, the powertrain features, the vehicle's price, safety and reliability.

In the literature, there are several studies about revealing the criteria or factors on this selection. Ucarol *et al.* (2005) compared non-hybrid vehicle with series and parallel hybrid vehicles in terms of energy consumption and performance. Safaei Mohamadabadi *et al.* (2009) ranked the renewable and non-renewable transportation fuel vehicles. Tzeng *et al.* (2005) and Vahdani *et al.* (2011) investigated social, economic, technological, and transportation aspects of evaluation criteria for alternative-fuel buses selection. Soon *et al.* (2013) determined hybrid/electric vehicle selection criteria as financial condition, consumer awareness, quality of vehicle and demographic background of consumers. Hong *et*

al. (2013) investigated the association between demographic factors and selection of hybrid vehicles among Malaysians. Yavuz *et al.* (2015) evaluated the alternative-fuel vehicles considering purchase and operation costs, safety, perceived quality, performance, filling station availability, filling time, driving range, greenhouse gas emission, social welfare impact, market penetration, secondary market development criteria with hesitant fuzzy linguistic term sets (HFLTS). Neizari *et al.* (2017) considered four main factors such as price sensitivity, environmental awareness, green perceived value, and green trust. Biswas and Das (2018) considered five criteria, and used MABAC method for the selection of hybrid car. Arat (2018) selected electric motors and compared the different driving cycles' effects. İç and Şimşek (2019) developed a model including Taguchi-TOPSIS methods for the hybrid electrical automobile selection problem. Khan *et al.* (2020) selected the most sustainable hybrid electric vehicle in Pakistan based on economic, environmental, and social criteria. Sonar and Kulkarni (2021) combined AHP and MABAC methods for electric vehicle selection considering six criteria. Tran *et al.* (2021) examined many powertrain configurations and components for the hybrid powertrain design purpose that can satisfy the performance criteria as acceleration, braking, driving range, fuel economy, and emissions. Hezam *et al.* (2022) assessed alternative fuel vehicles (hybrid electric vehicles, electric vehicles, hydrogen vehicles, natural gas vehicles, and biofuel vehicles) with an integrated decision-making framework based on intuitionistic fuzzy MEREK, RS and DNMA for sustainable road transportation. They considered environmental, technical, economic, social, and political dimensions of criteria. According to the results, the most significant criteria are social benefits, fueling/charging infrastructure, and financial incentives, respectively. Bošković *et al.* (2023) solved the electric vehicle selection problem for the last-mile delivery according to price, payload, width, battery capacity, and volume with the AROMAN method. Sharma and Maitra (2024) tried to reveal key attributes that affect the plug-in hybrid electric vehicle adaptation with exploratory factor and grey relation analyses. Golui *et al.* (2024) ranked the eight electric vehicle alternatives with Fermatean fuzzy TOPSIS. Table 1 shows the summary of MCDM studies on criteria affecting hybrid vehicle selection.

2.2. AHP Applications Under Intuitionistic Fuzzy Environment

There are several researchers who have integrated the AHP method with IF sets. Sadiq and Tesfamariam (2009) introduced IF AHP method and solved case studies for the applicability of the method. Abdullah *et al.* (2009) developed a new AHP method and used only membership and non-membership functions as IF set preference measurement notation. Hai *et al.* (2011) focused on eigenvectors synthesis of the IF comparison matrix in IVIF AHP method. Xu and Liao (2013) and Wu *et al.* (2013) developed IF AHP method for handling comprehensive MCDM problems. Abdullah and Najib (2014) used the IF AHP method including a new preference scale for pairwise comparisons. Fahmi *et al.* (2015) selected the assistant for a university with IVIF AHP method. Abdullah and Najib (2016) developed a new preference scale for pairwise comparison measurement for IVIF AHP method and demonstrated a case study related to sustainable energy planning

Table 1
MCDM studies on criteria affecting hybrid vehicle selection.

Authors	Criteria	MCDM Method(s)
Safaei Mohamadabadi <i>et al.</i> (2009)	Vehicle cost, fuel cost, distance between refueling stations, number of vehicle options available to the consumer, greenhouse gas emissions per unit distance travelled	PROMETHEE
Tzeng <i>et al.</i> (2005)	Energy supply and efficiency, air and noise pollutions, industrial relationship, costs of implementation and maintenance, vehicle capability, road facility, speed of traffic flow, sense of comfort	AHP, TOPSIS and VIKOR
Vahdani <i>et al.</i> (2011)	Cost, fuel economy, tank size, tailpipe emission, passenger volume	Fuzzy TOPSIS and Fuzzy PSI
Biswas and Das (2018)	Motor capacity, CO ₂ emission, torque, style, price, second hand price, fuel/electric consumption	MABAC
İç and Şimşek (2019)	The total cost of ownership, fuel economy, hybrid battery's life, resale value, comfort, reliability, greenhouse gases, safety features, status symbol, employment opportunities	Taguchi-TOPSIS
Khan <i>et al.</i> (2020)	Driving range, price, battery capacity, charging time, seating capacity, torque	TOPSIS
Sonar and Kulkarni (2021)	Purchase cost, energy cost, maintenance cost, sense of comfort, job creation, social benefits, social acceptability, noise pollution, environmental-friendly technology, fueling/charging infrastructure, driving range, energy efficiency, energy security, policy support, financial incentives	AHP and MABAC
Hezam <i>et al.</i> (2022)	Purchase cost, safety, air conditioning, battery warranty, public charging availability, battery recharging time, tailpipe emission	IF MEREC, RS and DNMA
Sharma and Maitra (2024)	Range, smart features, performance, battery life, storage space, price, charging time	GRA
Golui <i>et al.</i> (2024)		Fermatean fuzzy TOPSIS

selection. Deepika and Karthik Kannan (2016) selected a global supplier with IF AHP method. Kahraman *et al.* (2016) evaluated outsourced manufacturers with IVIF AHP and TOPSIS methods. Büyüközkan *et al.* (2016) evaluated hospital web services with IF AHP and IF VIKOR methods. Tooranloo and Iranpour (2017) selected an appropriate supplier by performing IVIF AHP method. Büyüközkan *et al.* (2018) combined IVIF AHP method with IVIF extensions of COPRAS, MULTIMOORA, TOPSIS and VIKOR methods for cloud computing technology selection. Seker (2020) selected the best solar power plant site by performing IVIF AHP and IVIF COPRAS methods. Büyüközkan *et al.* (2021a) evaluated the digital competency of low-cost airlines with IVIF AHP and IVIF VIKOR methods. Ilbahar *et al.* (2021a) integrated IVPF BOCR and IVIF AHP methods for social acceptability assessment of renewable energy policies. Ilbahar *et al.* (2021b) used IVIF AHP and fuzzy axiomatic design for risk assessment of R&D projects. Tumsekcali *et al.* (2021) used IVIF AHP-WASPAS methods for public transportation service quality evaluation. Ayyildiz (2021) used IVIF AHP for green supply chain resilience evaluation. Lu *et al.* (2022) used IVIF AHP and FCE methods to assess the overall status of urban mobility. Wang *et al.* (2023b) proposed a method for evaluating the feasibility of a dis-

Table 2
AHP studies with IF sets.

Authors	Application area
Sadiq and Tesfamariam (2009)	Drilling fluid (mud) selection
Xu and Liao (2013), Deepika and Karthik Kannan (2016), Tooranloo and Iranpour (2017)	Supplier selection
Fahmi <i>et al.</i> (2015)	Research assistant selection
Abdullah and Najib (2016)	Sustainable energy planning selection
Kahraman <i>et al.</i> (2016)	Outsourced manufacturer selection
Büyükoçkan <i>et al.</i> (2016)	Hospital web service selection
Büyükoçkan <i>et al.</i> (2018)	Cloud computing technology selection
Seker (2020)	Solar power plant site selection
Büyükoçkan <i>et al.</i> (2021a)	Digitally competent low-cost airline selection
Ilbahar <i>et al.</i> (2021a)	Renewable energy policy selection in terms of social acceptability
Ilbahar <i>et al.</i> (2021b)	Risk assessment of R&D projects
Tumsekali <i>et al.</i> (2021)	Public transportation service quality evaluation
Ayyildiz (2021)	Green supply chain resilience evaluation
Lu <i>et al.</i> (2022)	Overall status assessment of urban mobility
Wang <i>et al.</i> (2023b)	Feasibility evaluation of a distribution network operation
Acar <i>et al.</i> (2024)	Sustainable hydrogen storage options selection
Mandal <i>et al.</i> (2024)	PhD supervisor selection
Bouraima <i>et al.</i> (2024)	PV solar power development

tribution network operation scheme based on an IVIF AHP. Acar *et al.* (2024) performed IVIF AHP for evaluating the sustainability performance of the selected stationary hydrogen storage options. Mandal *et al.* (2024) proposed a methodology based on IVIF AHP and IVIF TOPSIS for PhD supervisor selection. Bouraima *et al.* (2024) presented a solution methodology based on SWOT, IVIF AHP, and IVIF TOPSIS for prioritizing the alternatives for the development of PV solar power. The studies based on AHP method with IF sets are summarized in Table 2.

2.3. MABAC Applications Under Fuzzy Environment

The fuzzy and IF extensions of MABAC method have also been developed to resolve the uncertainty in problems. Xue *et al.* (2016) solved material selection problems with IVIF MABAC method. Peng and Yang (2016) showed the combination of MABAC method and Pythagorean fuzzy Choquet integral. Roy *et al.* (2016) combined MABAC method with type-2 fuzzy sets, and showed a case study related with personnel selection of a software company. Roy *et al.* (2017) presented the combination of AHP and MABAC methods with rough numbers, and applied the proposed methodology to a problem including tourism destinations evaluations. Yu *et al.* (2017) proposed an interval type-2 fuzzy MABAC method for selecting hotels from a tourism website. Pamučar *et al.* (2018) proposed to use interval valued fuzzy rough numbers in the integration of Best-Worst and MABAC methods. Sun *et al.* (2018) proposed hesitant fuzzy MABAC method for patients' prioritization. Liu *et al.* (2019) used IVIF MABAC method for a novel integrated risk prioritization approach. Mishra *et al.* (2020) also used IVIF MABAC method for a programming language selection problem. Wang *et al.* (2020) introduced q-rung orthopair fuzzy MABAC

Table 3
MABAC studies with IF sets.

Author(s)	Application area
Xue <i>et al.</i> (2016)	Material selection
Liu <i>et al.</i> (2019)	Healthcare failure risk analysis
Mishra <i>et al.</i> (2020)	Programming language selection
Zhao <i>et al.</i> (2021)	Cold chain
Wang <i>et al.</i> (2023c)	Green supplier selection
Huo <i>et al.</i> (2024)	College English teaching quality evaluation
Sundar Singh Sivam <i>et al.</i> (2024)	Material selection
Chowdhury <i>et al.</i> (2024)	Surface grinding process optimization

method. Büyüközkan *et al.* (2021b) proposed hesitant fuzzy linguistic AHP and MABAC methods for the most appealing health tourism strategy selection. Puška *et al.* (2021) applied interval fuzzy logic using PIPRECIA and MABAC methods for sustainable supplier selection. Liu and Zhang (2021) proposed to integrate MABAC, CCSD, and prospect theory with normal wiggly hesitant fuzzy sets. Keshavarz-Ghorabae *et al.* (2021) performed the combination of fuzzy BWM and MABAC for sustainable public transportation evaluation. Zhao *et al.* (2021) introduced the integration of IF MABAC method and cumulative prospect theory. Hashemkhani Zolfani *et al.* (2021) showed the combination of improved fuzzy SWARA and fuzzy MABAC methods for logistics village selection. Verma (2021) developed a fuzzy MABAC method by utilizing the developed fuzzy information measures. Liu and Wang (2021) improved the MABAC method with 2-dimensional uncertain linguistic variables for multi attribute group decision-making problems. Aydın (2021) extended MABAC method to Fermatean fuzzy sets whereas Mathew *et al.* (2021) extended MABAC method to interval valued Fermatean fuzzy sets. Zhang *et al.* (2021) used spherical fuzzy CPT-MABAC method while Wang *et al.* (2023c) used IVIF-CPT-MABAC method for green supplier selection. Kirişci (2024) performed a methodology combining interval valued Fermatean fuzzy AHP, TOPSIS, and MABAC for risk evaluation of self-driving vehicles. Huo *et al.* (2024) proposed an approach based on IVIF entropy, MABAC and TODIM methods for college English teaching quality evaluation. Jana *et al.* (2024) proposed logarithm bipolar fuzzy MABAC, and presented a case study to show the applicability of the method. Sundar Singh Sivam *et al.* (2024) proposed to apply IF MABAC for material selection. Chowdhury *et al.* (2024) used IF CRADID, EDAS, and MABAC for optimizing a surface grinding process. The studies based on the MABAC method with IF sets are summarized in Table 3.

As a result of the literature review, it is seen that the problem aimed to be solved in this study and the methods used are compatible with the literature. Namely, it is seen that there are studies on hybrid vehicle selection with different MCDM methods or extensions of MCDM methods with uncertainty theories. However, to the best of our knowledge, the hybrid vehicle selection problem, which is quite on the agenda today together with environmental awareness, has not been addressed in the IVIF environment yet. On the other hand, when evaluated on a method basis, it is seen that the IVIF extension of AHP, one of the subjective weighting methods, is used in many different MCDM problems such as supplier, plant, PhD student selection. A similar evaluation can be made for the IVIF

MABAC method. However, our detailed literature review indicates that these methods are not used alone or in an integrated manner in the hybrid vehicle selection problem. In this sense, this study has the feature of filling this gap in the literature. On the other hand, the number of studies on the hybrid vehicle selection problem is quite few. This situation can be considered as a sign that both consumers and manufacturers cannot obtain sufficient information from the relevant literature on evaluating, analysing and selecting hybrid vehicles. In addition, since this problem has many conflicting criteria and the selection behaviour varies from person to person, therefore, considering the uncertainty inherent in the problem, it is important to express the criteria, weights and performances of the hybrid vehicles under the criteria with linguistic variables and to solve it with an effective uncertainty theory. Considering all these situations, a new decision-making methodology consisting of IVIF AHP and IVIF MABAC, which is presented for the first time in the literature, is proposed to address hybrid vehicle selection problems in an IVIF environment. In short, it is thought that the use of IVIFs to better express uncertainty in both methods will increase the flexibility of decision makers, effectively convey the opinions of decision makers to the decision-making process and ensure sound decisions are made.

3. Methodology

3.1. Preliminaries

Interval Valued Intuitionistic Fuzzy (IVIF) sets were developed firstly by Atanassov and Gargov (1989). IVIF sets can be defined as the generalization of both IVF sets and IF sets (Onar *et al.*, 2015). An element's membership and non-membership degrees belonging to an IVIF set are represented by the interval values in $[0, 1]$.

DEFINITION 1 (Atanassov and Gargov, 1989; Zhang *et al.*, 2016). X is the non-empty finite set, and an IVIF set \tilde{A} is represented by

$$\tilde{A} = \{x \in X\}, \tag{1}$$

where $0 \leq \mu_{\tilde{A}}^L(x) \leq \mu_{\tilde{A}}^U(x) \leq 1$ and $0 \leq v_{\tilde{A}}^L(x) \leq v_{\tilde{A}}^U(x) \leq 1$ are IV membership and non-membership degrees of element $x \in X$, respectively. It must be satisfied that $\mu_{\tilde{A}}^U(x) + v_{\tilde{A}}^U(x) \leq 1$.

DEFINITION 2 (Atanassov and Gargov, 1989; Liu *et al.*, 2019). For each element x , $\tilde{\pi}_{\tilde{A}}(x)$ is hesitation degree of an IF interval of $x \in X$ in \tilde{A} . It is represented in the following:

$$\begin{aligned} \tilde{\pi}_{\tilde{A}}(x) &= 1 - \tilde{\mu}_{\tilde{A}}(x) - \tilde{v}_{\tilde{A}}(x) = [\pi_{\tilde{A}}^L(x), \pi_{\tilde{A}}^U(x)] \\ &= [1 - \mu_{\tilde{A}}^U(x) - v_{\tilde{A}}^U(x), 1 - \mu_{\tilde{A}}^L(x) - v_{\tilde{A}}^L(x)]. \end{aligned} \tag{2}$$

Especially, if $\mu_{\tilde{A}}^L(x) = \mu_{\tilde{A}}^U(x)$ and $v_{\tilde{A}}^L(x) = v_{\tilde{A}}^U(x)$, then the IVIF set \tilde{A} becomes an ordinary IF set.

DEFINITION 3 (Xu and Chen, 2007; Xu and Gou, 2017). The IVIF Number (IVIFN) is defined as an ordered pair by Xu (2007) for simplicity. IVIFN is the basic component of the IVIF set. Let $\tilde{\alpha}_1 = ([\mu_1^L(x), \mu_1^U(x)], [v_1^L(x), v_1^U(x)])$ and $\tilde{\alpha}_2 = ([\mu_2^L(x), \mu_2^U(x)], [v_2^L(x), v_2^U(x)])$ be two IVIFNs. The basic operations of IVIFNs are in the following:

$$\tilde{\alpha}_1 + \tilde{\alpha}_2 = ([\mu_1^L(x) + \mu_2^L(x) - \mu_1^L(x) * \mu_2^L(x), \mu_1^U(x) + \mu_2^U(x) - \mu_1^U(x) * \mu_2^U(x)], [v_1^L(x) * v_2^L(x), v_1^U(x) * v_2^U(x)]), \quad (3)$$

$$\tilde{\alpha}_1 * \tilde{\alpha}_2 = ([\mu_1^L(x) * \mu_2^L(x), \mu_1^U(x) * \mu_2^U(x)], [v_1^L(x) + v_2^L(x) - v_1^L(x) * v_2^L(x), v_1^U(x) + v_2^U(x) - v_1^U(x) * v_2^U(x)]), \quad (4)$$

$$\lambda \tilde{\alpha}_1 = ([1 - (1 - \mu_1^L(x))^\lambda, 1 - (1 - \mu_1^U(x))^\lambda], [(v_1^L(x))^\lambda, (v_1^U(x))^\lambda]), \quad \lambda > 0, \quad (5)$$

$$(\tilde{\alpha}_1)^\lambda = ([(\mu_1^L(x))^\lambda, (\mu_1^U(x))^\lambda], [1 - (1 - v_1^L(x))^\lambda, 1 - (1 - v_1^U(x))^\lambda]), \quad \lambda > 0, \quad (6)$$

DEFINITION 4 (Xu and Chen, 2007). Let $\tilde{\alpha} = ([\mu^L(x), \mu^U(x)], [v^L(x), v^U(x)])$ be an IVIFN, the score function $s(\tilde{\alpha})$ and accuracy function $h(\tilde{\alpha})$ of $\tilde{\alpha}$ are computed, respectively, as:

$$s(\tilde{\alpha}) = \frac{1}{2}[\mu^L(x) - v^L(x) + \mu^U(x) - v^U(x)], \quad s(\tilde{\alpha}) \in [-1, 1], \quad (7)$$

$$h(\tilde{\alpha}) = \frac{1}{2}[\mu^L(x) + \mu^U(x) + v^L(x) + v^U(x)], \quad h(\tilde{\alpha}) \in [0, 1]. \quad (8)$$

Especially, if $s(\tilde{\alpha}) = 1$, it means that $\tilde{\alpha}$ is the largest IVIFN $\tilde{\alpha} = ([1, 1], [0, 0])$; otherwise if $s(\tilde{\alpha}) = -1$, it means that $\tilde{\alpha}$ is the smallest IVIFN $\tilde{\alpha} = ([0, 0], [1, 1])$.

DEFINITION 5. (Xu and Chen, 2007) For comparing two IVIFNs, the score functions $s(\tilde{\alpha})$ and accuracy functions $h(\tilde{\alpha})$ are utilized. Let $\tilde{\alpha}_1$ and $\tilde{\alpha}_2$ be two IVIFNs, the comparison process of two IVIFNs is performed as:

$$\text{If } s(\tilde{\alpha}_1) < s(\tilde{\alpha}_2) \text{ then } \tilde{\alpha}_1 < \tilde{\alpha}_2. \quad (9)$$

$$\text{If } s(\tilde{\alpha}_1) = s(\tilde{\alpha}_2) \text{ then } \begin{cases} h(\tilde{\alpha}_1) < h(\tilde{\alpha}_2) & \text{then } \tilde{\alpha}_1 < \tilde{\alpha}_2, \\ h(\tilde{\alpha}_1) = h(\tilde{\alpha}_2) & \text{then } \tilde{\alpha}_1 = \tilde{\alpha}_2. \end{cases}$$

DEFINITION 6. (Xu and Chen, 2007; Xu and Gou, 2017) Let $\tilde{\alpha}_j = ([\mu_j^L(x), \mu_j^U(x)], [v_j^L(x), v_j^U(x)])$ ($j = 1, 2, \dots, n$) be n IVIFNs, and $w = (w_1, w_2, \dots, w_n)^T$ be their weight vector, $w_j \in [0, 1]$ and $\sum_{j=1}^n w_j = 1$. IVIF Weighted Averaging (IVIFWA) opera-

tor is computed as:

$$\begin{aligned}
 \text{IVIFWA}(\tilde{\alpha}_1, \tilde{\alpha}_2, \dots, \tilde{\alpha}_n) &= \sum_{j=1}^n w_j \tilde{\alpha}_j \\
 &= \left(\left[1 - \prod_{j=1}^n (1 - \mu_j^L(x))^{w_j}, 1 - \prod_{j=1}^n (1 - \mu_j^U(x))^{w_j} \right], \right. \\
 &\quad \left. \left[\prod_{j=1}^n (v_j^L(x))^{w_j}, \prod_{j=1}^n (v_j^U(x))^{w_j} \right] \right). \tag{10}
 \end{aligned}$$

IVIF Weighted Geometric Averaging (IVIFWGA) operator is defined as:

$$\begin{aligned}
 \text{IVIFWGA}(\tilde{\alpha}_1, \tilde{\alpha}_2, \dots, \tilde{\alpha}_n) &= \prod_{j=1}^n \tilde{\alpha}_j^{w_j} \\
 &= \left(\left[\prod_{j=1}^n (\mu_j^L(x))^{w_j}, \prod_{j=1}^n (\mu_j^U(x))^{w_j} \right], \right. \\
 &\quad \left. \left[1 - \prod_{j=1}^n (1 - v_j^L(x))^{w_j}, 1 - \prod_{j=1}^n (1 - v_j^U(x))^{w_j} \right] \right). \tag{11}
 \end{aligned}$$

Especially, if $w = (1/n, 1/n, \dots, 1/n)^T$, IVIFWA and IVIFWG become IVIF Averaging (IVIFA) and IVIF Geometric (IVIFG) operators, respectively.

DEFINITION 7. (Xu and Chen, 2008; Liu *et al.*, 2019) Let $\tilde{\alpha}_1 = ([\mu_1^L(x), \mu_1^U(x)], [v_1^L(x), v_1^U(x)])$ and $\tilde{\alpha}_2 = ([\mu_2^L(x), \mu_2^U(x)], [v_2^L(x), v_2^U(x)])$ be two IVIFNs, the necessary formulation for IVIF Euclidean distance is as follows:

$$\begin{aligned}
 d(\tilde{\alpha}_1, \tilde{\alpha}_2) &= \sqrt{\frac{1}{4}(\mu_1^L(x) - \mu_2^L(x))^2 + (\mu_1^U(x) - \mu_2^U(x))^2 + (v_1^L(x) - v_2^L(x))^2 + (v_1^U(x) - v_2^U(x))^2}. \tag{12}
 \end{aligned}$$

3.2. Determining the Weight of the Decision Makers

The decision makers play an important role in the decision-making process. A decision maker makes qualitative and quantitative assessments of alternatives with conflicting criteria then ranks and/or selects the alternatives of the MCDM problem (Gupta *et al.*, 2019). The problem involves single or multiple decision makers. The amount of complexity in the decision-making process increases as the number of decision makers increases. This type of problem, involving multiple decision makers, is called group decision making problems. The aim of group decision making is to aggregate the individual judgments into a group decision which is a true representative of the individual judgments (Gupta *et al.*, 2018).

Table 4
Linguistic terms for rating each decision maker.

Linguistic terms	IVIFNs
Extremely Qualified (EQ)	([0.9, 1], [0, 0])
Very Qualified (VQ)	([0.7, 0.92], [0.05, 0.08])
Qualified (Q)	([0.5, 0.75], [0.2, 0.25])
Less Qualified (LQ)	([0.3, 0.55], [0.25, 0.45])
Extremely Less Qualified (ELQ)	([0, 0.32], [0.45, 0.50])

Source: Adopted from Büyükoçkan *et al.*, 2018.

Decision makers may have different opinions owing to coming from different areas and having different expertise and experience. This affects the instability and inconsistency of the criteria weights and performance of the alternatives under each criterion. In other words, it will lead to unreliable results (Zhu, 2013; Liu *et al.*, 2019). To get more rational results, a coefficient or a weight (importance degree) reflecting the decision maker's ability may be assigned. If the difference between decision makers' knowledge is clear, a direct valuation method may be applied. In this situation, the decision maker's weight is an exact number. But if it is not clear, the weight may be defined with fuzzy numbers. In this paper, the decision maker's weight will be expressed in linguistic terms and then, these terms are converted to IVIFNs. Firstly, it is assumed that there are K decision makers (DM_k , $k = 1, 2, \dots, K$) in the problem. DM_k ($[\mu_k^L(x), \mu_k^U(x)], [v_k^L(x), v_k^U(x)]$) is IVIFN for a rating of the k th decision maker, and k th decision maker's weight is denoted by λ_k . Table 4 presents the linguistic terms for rating each decision maker. k th decision maker's weight (λ_k) is calculated by the following formula (Abdullah and Najib, 2016):

$$\lambda_k = \frac{1 - \tilde{\lambda}_k}{K - \sum_{k=1}^K \tilde{\lambda}_k}, \quad k = 1, 2, \dots, K, \quad (13)$$

where $\lambda_k \geq 0$ and $\sum_{k=1}^K \lambda_k = 1$. In this formula, $\tilde{\lambda}_k$ shows k th decision maker's entropy weight, and this value is computed by following entropy formula proposed by Wei *et al.* (2011), Abdullah *et al.* (2019):

$$\tilde{\lambda}_k = \frac{1}{K} \sum_{k=1}^K \frac{2 - |\mu_k^L(x) - v_k^L(x)| - |\mu_k^U(x) - v_k^U(x)| + \pi_k^L(x) + \pi_k^U(x)}{2 + |\mu_k^L(x) - v_k^L(x)| + |\mu_k^U(x) - v_k^U(x)| + \pi_k^L(x) + \pi_k^U(x)}. \quad (14)$$

3.3. Finding the Selection Criteria Weights with IVIF AHP Method

AHP is one of the well-known MCDM methods. It was firstly proposed by Saaty (1980) and since then it has been used extensively for several applications (Kundakcı *et al.*, 2015). It depends on the pairwise comparison scale. Hierarchical structure is vital for this method. A hierarchy is formed with at least three levels including the goal, criteria, and alternatives (Abdullah *et al.*, 2013).

Table 5
Linguistic terms for the criteria weights.

Preference on comparison	AHP preference number	IVIFNs
EI (Equally Important)	1	([0.38, 0.42], [0.22, 0.58])
IV (Intermediate Value)	2	([0.29, 0.41], [0.12, 0.58])
MMI (Moderately More Important)	3	([0.10, 0.43], [0.03, 0.57])
IV (Intermediate Value)	4	([0.03, 0.47], [0.03, 0.53])
SMI (Strongly More Important)	5	([0.13, 0.53], [0.07, 0.47])
IV (Intermediate Value)	6	([0.32, 0.62], [0.08, 0.38])
VSMI (Very Strong More Important)	7	([0.52, 0.72], [0.08, 0.28])
IV (Intermediate Value)	8	([0.75, 0.85], [0.05, 0.15])
EMI (Extremely More Important)	9	([1, 1], [0, 0])

Source: Abdullah and Najib, 2016.

The steps of IVIF AHP method are presented as follows (Abdullah and Najib, 2016; Büyüközkan and Göçer, 2017; Büyüközkan *et al.*, 2018):

Step 1: The problem’s hierarchy is structured. The hierarchy consists of three levels including the goal, criteria, and alternatives, respectively.

Step 2: Firstly, the criteria are compared with respect to the goal by each DM. In other words, the pair-wise comparison matrix is constructed by each DM. The opinion in the pair-wise comparison matrix is expressed as linguistic terms, and each linguistic term is represented by an IVIFN. The linguistic terms given in Table 5 are used for expressing opinions.

Step 3: The pairwise comparison matrices are aggregated. Aggregation is performed in two steps.

Firstly, each decision maker’s pairwise comparison matrices on criteria are aggregated. The result is an aggregated IVIFN judgment matrix, $\tilde{R}_I^k = (\tilde{r}_{ij}^k)_{n \times n}$. Secondly, a group IVIF judgment matrix $\tilde{R}_G = (\tilde{r}_{ij})_{n \times n}$ is formed. In this step, IVIFWA operator in Eq. (10) is performed, and this operator takes the following form by considering the decision maker’s weights (λ_k):

$$\begin{aligned}
 & \text{IVIFWA}_{\text{criteria}} \\
 & = \left(\left[1 - \prod_{j=1}^n (1 - \mu_{\tilde{A}}^L)^{\lambda_k}, 1 - \prod_{j=1}^n (1 - \mu_{\tilde{A}}^U)^{\lambda_k} \right], \left[\prod_{j=1}^n (v_{\tilde{A}}^L)^{\lambda_k}, \prod_{j=1}^n (v_{\tilde{A}}^U)^{\lambda_k} \right] \right).
 \end{aligned}
 \tag{15}$$

Step 4: The Consistency Ratio (CR) of aggregated IVIF matrix judgments (\tilde{R}_I^k and \tilde{R}_G) are calculated by the following formula:

$$\text{CR} = \frac{RI - \frac{\sum \prod_{ij}^U(x)}{n}}{n - 1}.
 \tag{16}$$

Table 6
Random indices.

n	1	2	3	4	5	6	7	8	9	10	11	12
RI	0	0	0.58	0.90	1.12	1.24	1.32	1.41	1.45	1.49	1.51	1.54

Source: Saaty, 1987.

In this formula, RI is the random index given in Table 6, n shows the matrix elements' number and finally, $\prod_{ij}^U(x)$ shows the hesitation value. If $CR \leq 0.10$, IVIF judgment matrices are considered as consistent. Otherwise, the judgment matrices should be reviewed.

Step 5: Criteria weights (w_j) are calculated by the following formula

$$w_j = \frac{1 - \tilde{w}_j}{n - \sum_{j=1}^n \tilde{w}_j}, \quad j = 1, 2, \dots, n. \quad (17)$$

In this formula, \tilde{w}_j is the entropy weight of the j th criterion. There are several formulations for the entropy weight. In this paper, the formula proposed by Wei *et al.* (2011) is used:

$$\tilde{w}_j = \frac{1}{n} \sum_{i=1}^j \frac{2 - |\mu_i^L(x) - v_i^L(x)| - |\mu_i^U(x) - v_i^U(x)| + \pi_i^L(x) + \pi_i^U(x)}{2 + |\mu_i^L(x) - v_i^L(x)| + |\mu_i^U(x) - v_i^U(x)| + \pi_i^L(x) + \pi_i^U(x)}. \quad (18)$$

The criteria weights will be used as an input while performing IVIF MABAC method in this paper.

3.4. Finding the Rank Order of the Alternatives with IVIF MABAC Method

MABAC (Multi-Attribute Border Approximation area Comparison) is one of the MCDM methods, and it was introduced by Pamučar and Čirović (2015). The main idea of this method is defining the border approximation area for each criterion. An alternative is located at the border, upper or lower approximation areas. The upper and lower approximation areas contain the ideal and anti-ideal alternatives, respectively. Finally, the ranking of alternatives is found (Tuş and Aytaç Adalı, 2018).

It is assumed that there are m alternatives, A_i ($i = 1, 2, \dots, m$), n criteria C_j ($j = 1, 2, \dots, n$), K decision makers, DM_k ($k = 1, 2, \dots, K$) in the problem. IVIF MABAC method's steps are presented in the following (Xue *et al.*, 2016; Liu *et al.*, 2019):

Step 1: Each decision maker is asked to assess the performance of different alternatives under various criteria by using the linguistic term presented in Table 7. They are represented by the IVIFNs.

Table 7
Linguistic terms and corresponding IVIFNs.

Linguistic terms	IVIFNs
VH (Very High)	([0.9, 1.0], [0.0, 0.0])
H (High)	([0.8, 0.8], [0.1, 0.1])
MH (Medium High)	([0.6, 0.7], [0.2, 0.3])
M (Medium)	([0.5, 0.5], [0.4, 0.5])
ML (Medium Low)	([0.3, 0.4], [0.5, 0.6])
L (Low)	([0.2, 0.2], [0.7, 0.7])
VL (Very Low)	([0.0, 0.1], [0.8, 0.9])

Source: Xue *et al.*, 2016.

The IVIF decision matrix of the k th decision maker (\tilde{X}^k) is formed as:

$$\tilde{X}^k = [\tilde{x}_{ij}]_{m \times n}^k = \begin{bmatrix} \tilde{x}_{11}^k & \tilde{x}_{12}^k & \dots & \tilde{x}_{1n}^k \\ \tilde{x}_{21}^k & \tilde{x}_{22}^k & \dots & \tilde{x}_{2n}^k \\ \vdots & \vdots & \dots & \vdots \\ \tilde{x}_{m1}^k & \tilde{x}_{m2}^k & \dots & \tilde{x}_{mn}^k \end{bmatrix}_{m \times n}, \tag{19}$$

where $\tilde{x}_{ij}^k = [\mu^L(\tilde{x}_{ij}^k), \mu^U(\tilde{x}_{ij}^k)], [v^L(\tilde{x}_{ij}^k), v^U(\tilde{x}_{ij}^k)]$, \tilde{x}_{ij} is IVIFN indicating the value of i th alternative on j th criterion.

Step 2: After obtaining the assessments of decision makers, all individual decision matrices (\tilde{X}^k) are aggregated. The result is group IVIF decision matrix (\tilde{X}^G), and it is formed as:

$$\tilde{X}^G = [\tilde{x}_{ij}]_{m \times n}^G = \begin{bmatrix} \tilde{x}_{11} & \tilde{x}_{12} & \dots & \tilde{x}_{1n} \\ \tilde{x}_{21} & \tilde{x}_{22} & \dots & \tilde{x}_{2n} \\ \vdots & \vdots & \dots & \vdots \\ \tilde{x}_{m1} & \tilde{x}_{m2} & \dots & \tilde{x}_{mn} \end{bmatrix}_{m \times n}, \tag{20}$$

where \tilde{x}_{ij} is IVIFN indicating the aggregated performance value of i th alternative on j th criterion. The aggregation of all individual decision matrices is performed by using the IVIFWA operator given in Eq. (10). This operator takes the following form by taking into account the decision maker's weights (λ_k):

$$\tilde{x}_{ij} = \text{IVIFA}(\tilde{x}_{ij}^1, \tilde{x}_{ij}^2, \dots, \tilde{x}_{ij}^K) = \sum_{k=1}^K \tilde{x}_{ij}^k \lambda_k. \tag{21}$$

Step 3: Normalized decision matrix $\tilde{N} = [\tilde{n}_{ij}]_{m \times n}$ is obtained. However, the decision matrix is not normalized as Zavadskas *et al.* (2015) stated that IVIFNs are commensurable numbers (Zavadskas *et al.*, 2015).

Step 4: The weighted group IVIF decision matrix (\tilde{R}) is calculated.

$$\tilde{R} = [\tilde{r}_{ij}]_{m \times n} = \begin{bmatrix} \tilde{r}_{11} & \tilde{r}_{12} & \dots & \tilde{r}_{1n} \\ \tilde{r}_{21} & \tilde{r}_{22} & \dots & \tilde{r}_{2n} \\ \vdots & \vdots & \dots & \vdots \\ \tilde{r}_{m1} & \tilde{r}_{m2} & \dots & \tilde{r}_{mn} \end{bmatrix}_{m \times n}. \quad (22)$$

$\tilde{r}_{ij} = [\mu^L(\tilde{r}_{ij}), \mu^U(\tilde{r}_{ij})], [v^L(\tilde{r}_{ij}), v^U(\tilde{r}_{ij})]$ is the weighted IVIFN indicating the elements of \tilde{R} . \tilde{r}_{ij} is calculated as follows:

$$\begin{aligned} \tilde{r}_{ij} &= w_j * \tilde{x}_{ij} \\ &= \left([1 - (1 - \mu^L(\tilde{x}_{ij}))^{w_j}, 1 - (1 - \mu^U(\tilde{x}_{ij}))^{w_j}], [v^L(\tilde{x}_{ij})^{w_j}, v^U(\tilde{x}_{ij})^{w_j}] \right), \end{aligned} \quad (23)$$

w_j is j th criterion's weight. The criteria weights are derived from IVIF AHP in this paper.

Step 5: Border approximation area vector, $\tilde{G} = [\tilde{g}_1, \tilde{g}_2, \dots, \tilde{g}_n]$, is determined. The elements of the $\tilde{G}(\tilde{g}_j)$ indicate the border approximation area for each criterion. \tilde{g}_j is represented by IVIFN as $\tilde{g}_j = [\mu^L(\tilde{g}_j), \mu^U(\tilde{g}_j)], [v^L(\tilde{g}_j), v^U(\tilde{g}_j)]$, and its value is found by using the IVIFGA operator as:

$$\tilde{g}_j = \left(\prod_{i=1}^m (\tilde{r}_{ij}) \right)^{1/m}, \quad j = 1, 2, \dots, n. \quad (24)$$

Step 6: Distance matrix of the alternatives from the border approximation area, $D = [d_{ij}]_{m \times n}$, is calculated. The necessary operation for finding the elements of $D(d_{ij})$ is as follows:

$$d_{ij} = \begin{cases} d_E(\tilde{r}_{ij}, \tilde{g}_j), & \text{if } \tilde{r}_{ij} \geq \tilde{g}_j, \\ -d_E(\tilde{r}_{ij}, \tilde{g}_j), & \text{if } \tilde{r}_{ij} < \tilde{g}_j. \end{cases} \quad (25)$$

$d_E(\tilde{r}_{ij}, \tilde{g}_j)$ is Euclidean distance between i th alternative and the border approximation area. The IVIF Euclidean distance operator in Eq. (12) is performed. The desirability of i th alternative (A_i) is determined by analysing the distance value as follows:

- If $d_{ij} > 0$, A_i is located at the upper approximation area (G^+)
- If $d_{ij} = 0$, A_i is located at the border approximation area (G)
- If $d_{ij} < 0$, A_i is located at the lower approximation area (G^-)

A_i should be located at the upper approximate area (G^+) under many criteria for being the best. A higher value $g_i \in G^+$ and a smaller value $g_i \in G^-$ show that A_i is closer to the ideal and anti-ideal alternative, respectively.

Step 7. Ranking of alternatives are obtained with criteria functions values (S_i).

$$S_i = \sum_{j=1}^n d_{ij}, \quad i = 1, 2, \dots, m. \quad (26)$$

The alternative with the highest S_i value is assumed as the best alternative.

The methodology described above under different headings is summarized as a flowchart in Fig. 1.

4. Application

A real case study is presented to demonstrate the implementation process and effectiveness of IVIF AHP and IVIF MABAC methods in this section. It is related to hybrid vehicle selection. A company in Türkiye wants to expand their vehicle fleet by purchasing new hybrid vehicles. First, the management of the company assigns a decision team including four department’s managers (decision makers; DM_1, DM_2, DM_3 and DM_4). The mission of the decision team is to rank the hybrid vehicle alternatives and to select the most proper hybrid vehicle. The management is asked to assess the decision makers in the decision team in terms of knowledge in hybrid technology and purchasing process. The assessments as linguistic terms are given in Table 4. They are transformed to IVIFNs, and Eqs. (13)–(14) are used to find the decision makers’ weights given in Table 8. Although all decision makers in the decision team have almost the same weight, the highest and the least importances are given to DM_1 and DM_4 , respectively.

After computing the decision makers’ weights, the first task of the decision team is the determination of the expectations of their company from purchasing decisions. Then, they determine the selection criteria that fit the company’s needs and expectations. After making necessary interviews, examining on sites and reviewing the related literature five selection criteria are considered. They are vehicle price (C_1), fuel consumption (C_2), carbon dioxide emission (C_3), engine and transmission (C_4), and reliability (C_5). The decision team interviews with the vehicle company, one of the pioneers of hybrid technology, and determines five vehicle models (A_1, A_2, A_3, A_4 and A_5) that have hybrid technology.

The selection process begins with finding criteria weights by IVIF AHP method. For this aim, each decision maker constructs a pairwise comparison matrix on the criteria by using linguistic terms in Table 5. Their comparisons are processed directly, in other words, no preprocessing is performed. The information in pairwise matrices obtained from decision makers through face-to-face interviews is subjective and reflects the personal opinions of the decision makers. The four pairwise comparison matrices are shown in Table 9. They are transformed to IVIFNs and each decision maker’s pairwise comparison matrices on criteria are aggregated using Eq. (15). The same procedure is repeated for group IVIF judgment matrix. Aggregated IVIF judgment matrix of DM_1 and group IVIF judgment matrix are shown in Table 10. After checking the consistency ratios of all IVIF judgment matrices, it is seen that their CRs are less than 0.10 so they are considered




Fig. 1. Flowchart for the proposed methodology.

as consistent. By applying Eqs. (17)–(18), criteria weights are computed and shown in Table 11. Actually, it can be said that each of the criteria has almost similar weights. However, it is found that C_1 , C_2 , C_3 are the most important criteria and C_4 and C_5 are the least important criteria. Namely, C_1 , C_2 , C_3 are more important than other criteria with a very small difference.

Table 8
The decision makers' weights.

DM_k	DM_1	DM_2	DM_3	DM_4
Linguistic terms	EQ	VQ	VQ	Q
λ_k	0.262	0.252	0.252	0.233

Table 9
Pairwise comparison matrix of decision makers.

	C_1	C_2	C_3	C_4	C_5
DM₁					
C_1	EI	MMI	SMI	MMI	MMI
C_2		EI		SMI	MMI
C_3		SMI	EI	SMI	MMI
C_4				EI	
C_5				MMI	EI
DM₂					
C_1	EI				
C_2	MMI	EI			
C_3	SMI	SMI	EI	SMI	MMI
C_4	MMI	MMI		EI	
C_5	MMI	MMI		MMI	EI
DM₃					
C_1	EI	EI		MMI	MMI
C_2		EI		MMI	SMI
C_3	MMI	MMI	EI	MMI	SMI
C_4				EI	MMI
C_5					EI
DM₄					
C_1	EI			MMI	
C_2	SMI	EI	MMI	SMI	MMI
C_3	MMI		EI	SMI	MMI
C_4				EI	
C_5	MMI			MMI	EI

Table 10
Aggregated judgment matrix of DM_1 and group judgment matrix.

	DM_1	Group
C_1	([0.217, 0.543], [0.021, 0.457])	([0.198, 0.561], [0.045, 0.439])
C_2	([0.195, 0.584], [0.043, 0.416])	([0.196, 0.572], [0.049, 0.428])
C_3	([0.217, 0.574], [0.039, 0.426])	([0.209, 0.553], [0.035, 0.447])
C_4	([0.164, 0.601], [0.069, 0.399])	([0.163, 0.578], [0.059, 0.422])
C_5	([0.162, 0.615], [0.044, 0.385])	([0.167, 0.573], [0.045, 0.427])
CR	0.088	0.088

Table 11
Criteria weights.

	C_1	C_2	C_3	C_4	C_5
w_j	0.2000	0.2005	0.2002	0.1996	0.1998

The selection process continues with determining the best hybrid vehicle among all hybrid vehicles alternatives by performing IVIF MABAC method. For this aim, each decision maker evaluates the performances of different alternatives under various criteria using Table 7. As in the IVIF AHP, the information regarding the evaluation of alternatives based on the criteria for IVIF MABAC is subjective and reflects the personal opinions of the decision makers. As in the IVIF AHP, the decision maker's evaluation related to alternatives on criteria are processed directly, in other words, no preprocessing is performed. The decision matrices in linguistic terms are shown in Table 12. They are transformed to IVIFNs, and all individual decision matrices are aggregated to obtain group IVIF decision matrix. Eq. (21) is performed, and results are shown in Table 13. The weighted group IVIF decision matrix is calculated by using Eq. (23), and it is shown in Table 14. For this calculation, the criteria weights shown in Table 11 are considered. The border approximation area on the criteria is calculated by using Eq. (24), and the border approximation area vector is formed and shown in Table 15. The Euclidean distance of each alternative from the border approximation area are calculated by performing Eq. (12). Distance matrix between alternatives and the border approximation area is formed by doing necessary operations. The elements of Table 16 are used for finding the values of criteria functions for all hybrid vehicle alternatives. According to the values in Table 17, the ranking order of the hybrid vehicle alternatives is stated as $A_1-A_2-A_3-A_5-A_4$. The best alternative is A_1 since it has the highest score value.

4.1. Sensitivity Analysis

In this study, criteria weights are calculated with the IVIF AHP method. As it is known, the AHP method is one of the subjective methods, in other words, the criteria weights are based on the opinions of decision makers. When the decision makers or their opinions change, the criteria weights change accordingly. Therefore, in this part of the study, sensitivity analysis is carried out to determine how sensitive the IVIF MABAC method is to changes in decision makers' weights and criteria weights. To analyse this, firstly the decision makers' weights are changed. 5 different cases are generated and the ranking of the hybrid vehicle alternatives is obtained by considering these weights. The weights of the decision makers and the rankings obtained are given in Table 18. The first case is the weights obtained by using the entropy method in the previous section. In this case, the four decision makers' weights are quite close to each other. The other cases assume that there is only one decision maker in the decision problem. The hybrid vehicle alternative ranking result of the first case is $A_1-A_2-A_3-A_5-A_4$. This ranking is the same as the ranking where the first decision maker is effective alone (Case 2). This is due to the fact that the weight of the first decision maker is slightly more than the weights of other decision makers in the weights found by entropy. However, when we look at the cases where other decision makers are effective alone, it is observed that the ranking changes. This situation shows the sensitivity of the decision makers in the alternative ranking.

For the analysis of criteria weights, different 21 cases are firstly created regarding the criteria weights. All cases including different criteria weights are presented in Table 19.

Table 12
Decision matrices of decision makers.

	C_1	C_2	C_3	C_4	C_5
DM ₁					
A_1	H	VH	VH	MH	H
A_2	VH	H	H	H	H
A_3	M	M	ML	VH	VH
A_4	MH	H	MH	MH	H
A_5	MH	MH	M	H	VH
DM ₂					
A_1	MH	M	H	ML	VH
A_2	H	MH	MH	M	H
A_3	ML	MH	L	H	H
A_4	M	H	M	ML	MH
A_5	M	ML	ML	MH	H
DM ₃					
A_1	MH	H	H	ML	H
A_2	H	H	H	M	MH
A_3	L	M	ML	VH	VH
A_4	ML	MH	MH	ML	H
A_5	M	MH	MH	MH	VH
DM ₄					
A_1	H	H	VH	MH	MH
A_2	VH	MH	VH	MH	M
A_3	M	M	M	H	VH
A_4	MH	ML	H	MH	H
A_5	MH	H	H	H	H

The first case is the solution given in the application section and the values obtained from IVIF AHP. In cases between Case 2 and Case 6, values of 0.30, 0.25, 0.20, 0.15, and 0.10 are taken into account as criteria weights. The cases where each criterion has the highest and lowest weight are taken into account. In cases between Case 7 and Case 11, the highest criterion weight is 0.40, and equal weight (0.15) is used in other criteria. In cases between Case 12 and Case 16, the lowest criterion weight is 0.08, while other criteria are assigned equal weight (0.23). Finally, in cases between Case 17 and Case 21, the highest criterion weight is 0.9, while other criteria are assigned equal weight (0.025).

The problem given in the application section with the different criteria weights given in Table 19 is solved with the IVIF MABAC method, and rankings for hybrid vehicle alternatives are obtained. These rankings are given in Fig. 2. When Fig. 2 is examined, it is observed that there is no change in the ranking of hybrid vehicle alternatives. According to these results, we can say that the IVIF MABAC method is not sensitive in terms of criteria weights in ranking hybrid vehicle alternatives. This can be explained by the fact that the criteria weights are not very different from each other in all 16 cases. Considering all the situations, the change in the criteria weights is not too big, at most +20% and at least -12%. Therefore, the fact that the rankings do not change shows that the method is not very sensitive to small changes. When the criteria weights are close to each other, the best

Table 13
Group IVIF decision matrix.

	C_1	C_2	C_3	C_4	C_5
A_1	([0.716, 0.755], [0.142, 0.174])	([0.790, 1.000], [0.000, 0.000])	([0.858, 1.000], [0.000, 0.000])	([0.470, 0.574], [0.317, 0.426])	([0.803, 1.000], [0.000, 0.000])
A_2	([0.858, 1.000], [0.000, 0.000])	([0.720, 0.756], [0.140, 0.170])	([0.797, 1.000], [0.000, 0.000])	([0.627, 0.651], [0.237, 0.291])	([0.705, 0.726], [0.165, 0.192])
A_3	([0.387, 0.411], [0.487, 0.570])	([0.527, 0.560], [0.336, 0.440])	([0.331, 0.382], [0.517, 0.598])	([0.860, 1.000], [0.000, 0.000])	([0.881, 1.000], [0.000, 0.000])
A_4	([0.513, 0.594], [0.300, 0.406])	([0.681, 0.714], [0.173, 0.200])	([0.640, 0.690], [0.203, 0.264])	([0.470, 0.574], [0.317, 0.426])	([0.762, 0.778], [0.119, 0.132])
A_5	([0.552, 0.612], [0.284, 0.388])	([0.608, 0.675], [0.214, 0.276])	([0.585, 0.628], [0.257, 0.316])	([0.716, 0.755], [0.142, 0.174])	([0.860, 1.000], [0.000, 0.000])

Table 14
The weighted group IVIF decision matrix.

	C_1	C_2	C_3	C_4	C_5
A_1	([0.223, 0.245], [0.677, 0.705])	([0.269, 1.000], [0.000, 0.000])	([0.324, 1.000], [0.000, 0.000])	([0.119, 0.157], [0.795, 0.843])	([0.277, 1.000], [0.000, 0.000])
A_2	([0.323, 1.000], [0.000, 0.000])	([0.225, 0.247], [0.674, 0.701])	([0.274, 1.000], [0.000, 0.000])	([0.179, 0.189], [0.750, 0.782])	([0.216, 0.228], [0.697, 0.719])
A_3	([0.093, 0.100], [0.866, 0.894])	([0.139, 0.152], [0.804, 0.848])	([0.077, 0.092], [0.876, 0.902])	([0.325, 1.000], [0.000, 0.000])	([0.346, 1.000], [0.000, 0.000])
A_4	([0.134, 0.165], [0.786, 0.835])	([0.205, 0.222], [0.704, 0.725])	([0.185, 0.209], [0.726, 0.766])	([0.119, 0.157], [0.795, 0.843])	([0.249, 0.260], [0.654, 0.667])
A_5	([0.148, 0.172], [0.777, 0.828])	([0.171, 0.202], [0.734, 0.773])	([0.161, 0.180], [0.762, 0.794])	([0.222, 0.245], [0.677, 0.705])	([0.325, 1.000], [0.000, 0.000])

Table 15
Border approximation area matrix.

	C_1	C_2	C_3	C_4	C_5
G	[0.168, 0.234], [0.710, 0.755]	[0.197, 0.279], [0.653, 0.691]	[0.183, 0.322], [0.619, 0.657]	[0.179, 0.258], [0.680, 0.725]	[0.279, 0.568], [0.363, 0.377]

Table 16
Distance matrix of the alternatives from the border approximation area.

	C_1	C_2	C_3	C_4	C_5
A_1	0.041	0.598	0.569	-0.102	0.339
A_2	0.649	-0.024	0.566	-0.057	-0.295
A_3	-0.130	-0.129	-0.218	0.624	0.341
A_4	-0.068	-0.042	-0.095	-0.102	-0.257
A_5	-0.059	-0.071	-0.122	0.025	0.340

Table 17
Ranking of alternatives.

Alternative	S_i	Rank
A_1	1.445	1
A_2	0.839	2
A_3	0.488	3
A_4	-0.563	5
A_5	0.113	4

Table 18
Different cases for decision makers' weights.

Cases	Decision makers' weights	Ranking
Case 1	(0.262, 0.252, 0.252, 0.233)	$A_1-A_2-A_3-A_5-A_4$
Case 2	(1, 0, 0, 0)	$A_1-A_2-A_3-A_5-A_4$
Case 3	(0, 1, 0, 0)	$A_1-A_2-A_3-A_4-A_5$
Case 4	(0, 0, 1, 0)	$A_3-A_5-A_2-A_1-A_4$
Case 5	(0, 0, 0, 1)	$A_2-A_1-A_3-A_5-A_4$

Table 19
Different cases for criteria weights.

Cases	Criteria weights	Cases	Criteria weights
Case 1	(0.20, 0.20, 0.20, 0.19, 0.19)	Case 12	(0.08, 0.23, 0.23, 0.23, 0.23)
Case 2	(0.30, 0.25, 0.20, 0.15, 0.10)	Case 13	(0.23, 0.08, 0.23, 0.23, 0.23)
Case 3	(0.25, 0.30, 0.20, 0.10, 0.15)	Case 14	(0.23, 0.23, 0.08, 0.23, 0.23)
Case 4	(0.15, 0.10, 0.30, 0.20, 0.25)	Case 15	(0.23, 0.23, 0.23, 0.08, 0.23)
Case 5	(0.10, 0.15, 0.25, 0.30, 0.20)	Case 16	(0.23, 0.23, 0.23, 0.23, 0.08)
Case 6	(0.20, 0.15, 0.10, 0.25, 0.30)	Case 17	(0.900, 0.025, 0.025, 0.025, 0.025)
Case 7	(0.40, 0.15, 0.15, 0.15, 0.15)	Case 18	(0.025, 0.900, 0.025, 0.025, 0.025)
Case 8	(0.15, 0.40, 0.15, 0.15, 0.15)	Case 19	(0.025, 0.025, 0.900, 0.025, 0.025)
Case 9	(0.15, 0.15, 0.40, 0.15, 0.15)	Case 20	(0.025, 0.025, 0.025, 0.900, 0.025)
Case 10	(0.15, 0.15, 0.15, 0.40, 0.15)	Case 21	(0.025, 0.025, 0.025, 0.025, 0.900)
Case 11	(0.15, 0.15, 0.15, 0.15, 0.40)		

alternative is A_1 and the worst alternative is A_4 . This situation is an advantage for decision makers in that they can consider the same ranking if they do not change the criteria weights too much. The fact that there is no change in the rankings despite a very large change in the criteria weights can be considered a negative situation. However, it is not possible to




Fig. 2. Ranking results of different weight cases.




Fig. 3. Ranking results of three MCDM methods.

say this for the current situation. In order to analyse this situation, Case 17–Case 21 are generated, giving each criterion much more weight than the others. It has been observed that there are changes in the rankings in these cases. This is important in terms of showing that the method is sensitive to major changes.

4.2. Comparative Analysis

In this part of the study, in order to see the advantage of the proposed method, the results derived by IVIF MABAC method are compared with the results obtained by IVIF WASPAS and IVIF TOPSIS methods. The application steps of Abdullah *et al.* (2020) and Mishra and Rani (2018) are applied for IVIF TOPSIS and IVIF WASPAS methods, respectively. The lambda value for IVIF WASPAS method is assumed as 0.5.

The results are shown in Fig. 3. The ranking obtained by the IVIF MABAC method is the same as the ranking obtained by the IVIF TOPSIS method, but slightly different from

the ranking obtained by the IVIF WASPAS method. When Fig. 3 is examined, it is seen that the A_1 ranks first in the IVIF MABAC and IVIF TOPSIS methods, but ranks second in the ranking according to the IVIF WASPAS method. Similar interpretations can be made for other alternatives. To prove this better, the Pearson correlation coefficient between the methods is calculated. The correlation coefficient between IVIF MABAC and IVIF TOPSIS is 100%. This shows that both methods produce the same ranking of alternatives. On the other hand, the correlation coefficient value between IVIF MABAC and IVIF WASPAS methods is found to be 80%. This can be considered a relatively high value. When we look more closely at the alternative ranking of both methods, the difference is in the alternatives A_1 , A_2 , A_5 and A_3 . For example, alternatives A_1 and A_2 rank first and second in IVIF MABAC method, while they rank second and first in the IVIF WASPAS method. A similar situation can also be applied to A_3 and A_5 alternatives. The last ranked alternative (A_4) remains unchanged in both methods. The computed crisp final scores of A_2 and A_1 are very close to each other, namely 0.873 and 0.867, respectively. These similarities in alternative rankings suggest that the IVIF MABAC method produces adequate and satisfactory results for current application. However, it should be noted that these rankings may change as the weights assigned to the criteria and decision makers change.

These three methods are also compared with respect to the time complexity as Aytaç Adalı and Tuş (2023), Alkahtani *et al.* (2019), Aytaç Adalı *et al.* (2023), and Rani *et al.* (2021) performed in their studies. Considering there are m alternatives and n criteria, IVIF MABAC method requires $4mn$ operations for the decision matrix, $4mn$ operations for the weighted decision matrix, $4n$ operations for border approximation area matrix, mn operations for Euclidean distances of each alternative, $2mn+n$ operations for distance matrix, and m operations for the ranking of the alternatives. In this manner, the time complexity of IVIF MABAC method is $11mn+5n+m$. IVIF-WASPAS method requires $4mn$ operations for the decision matrix, $4mn+2m(n-1)+2m$ operations for relative weight according to WSM (Weighted Sum Model), $4mn+2m(n-1)+2m$ operations for relative weight according to WPM (Weighted Product Model), $12m$ operations for total relative importance and m operations for the ranking of the alternatives. So, the time complexity of IVIF-WASPAS method is $16mn+13m$. IVIF-TOPSIS method requires $4mn$ operations for the decision matrix, $4mn$ operations for the weighted decision matrix, $4n+m$ operations for determining the positive and negative ideal solutions, and m operations for the ranking of the alternatives. The time complexity of IVIF-TOPSIS method is $8mn+8n+3m$. According to this computational complexity analysis for these three methods, IVIF-WASPAS method shows the worst performance in terms of the number of operations. Although IVIF-TOPSIS method has a minimum number of operations, the operations performed to find positive and negative ideal solutions are much more complex than the operations performed to find the distance matrix in the IVIF MABAC method. In this respect, IVIF MABAC method can be considered as an alternative method to the IVIF-TOPSIS method.

5. Discussion

The global vehicle market is transforming from traditional vehicles to electric vehicles due to environmental and economic reasons. The fact that electric vehicles have zero carbon

emissions and offer a more affordable option in the face of rising fuel prices naturally increases the interest in these vehicle models. On the other hand, the cost of purchasing a fully electric vehicle is quite high at first. For this reason, hybrid vehicles, which are a more environmentally friendly option than diesel and gasoline vehicles and a more affordable option than electric vehicles, have become very popular in recent years. Hybrid vehicles offer an ideal alternative for users who are undecided about switching to a fully electric vehicle or want to make a more affordable choice.

In this study, a new approach is presented by using IVIF AHP and IVIF MABAC, two MCDM methods together, so that decision makers can choose the most suitable hybrid car alternatives with various criteria. Criteria taken into account in the study are vehicle price, fuel consumption, carbon dioxide emission, engine and transmission, and reliability. Hybrid vehicles allow to go longer with less fuel. The fact that gasoline and diesel fuels are expensive directs users to hybrid vehicles. For this reason, hybrid vehicle prices are more expensive than traditional cars. Hybrid vehicles increase fuel efficiency by combining gasoline and electric engines. In this way, it consumes less fuel and causes less harm to the environment. With the use of electric motors, hybrid vehicles provide low emissions. This contributes to reducing air pollution. In hybrid vehicles, the engine and transmission wear out less because the gasoline engine is used less. This ensures a longer life of the vehicle. Hybrid vehicles are as reliable as gasoline-powered cars. They have been around for about two decades, so the tech is tried and tested.

In the evaluation performed with IVIF AHP, the importance that consumers attach to the determined criteria has been revealed. The importance levels of the criteria are very close to each other. This shows that decision makers attach equal importance to the determined criteria. Taking into account the situations where the criteria weights may differ from each other over time or by different decision makers, a sensitivity analysis is made and the ranking of the alternatives is examined with IVIF MABAC. When the criteria weights are close to each other, the best alternative is A_1 and the worst alternative is A_4 . For this reason, it is very important for both decision makers and companies selling hybrid vehicles in the automotive industry to know which hybrid vehicle the decision makers will choose according to the degree of importance they attach to the criteria.

It should be kept in mind that the results of this study should not be generalised. The methods used are subjective methods. The weights assigned to the criteria used reflect the opinions of the 4 decision makers participating in the study. Similarly, the performance values of the hybrid vehicle alternatives under the criteria reflect the opinions of the decision makers. In other words, the decision matrix consists of the opinions of the decision makers is subjective. When the decision makers change, both the criteria weights and the rankings of the hybrid vehicle alternatives change. However, what is emphasized here is that the decision-making tool based on IVIF AHP and IVIF MABAC methods gives effective results in the hybrid vehicle selection problem. This is demonstrated by the results of the sensitivity and comparative analyses and by the fact that the results are found satisfactory by the decision makers. The IVIF environment is able to effectively analyse the uncertainty in the decision-making problem. From all these perspectives this study will help the decision makers and firms to understand the major criteria impacting hybrid electric vehicles market trends and develop strategy accordingly. At the same time, an effort

has been made to provide a user-friendly and effective decision-making tool that helps in hybrid vehicle selection.

6. Conclusion and Recommendations

With the increase in the population in the world, human activities and movements have increased. In order to meet the increasing human mobility, transportation and transportation vehicles have become even more important. The transportation vehicles also have brought environmental problems such as noise, pollution, etc. Hybrid vehicles have been seen as a solution to reduce environmental impacts, and become very popular in the market. Namely, hybrid vehicles are preferred in terms of being fuel-efficient and producing less green gas than ordinary vehicles. The selection and purchasing process of hybrid vehicles require analytical thinking for the consumers. Because they do not only consider greenhouse gas emission but also consider other criteria like vehicle cost, reliability, vehicle performance, etc. So, in this paper, the hybrid vehicle selection problem of a company operated in Türkiye is handled as an MCDM problem. The two MCDM methods, IVIF AHP and IVIF MABAC, are applied to rank and select the best hybrid vehicle alternative. This problem is solved under the IF environment. IF numbers are more suitable in real problems than the crisp numbers in terms of expressing human judgment and preferences and modelling uncertainty in subjective judgments. In this paper, decision makers' weights, selection criteria weights and performances of hybrid vehicle alternatives with respect to each criterion are expressed as IVIFNs. The IVIF AHP is utilized to find the hybrid vehicle selection criteria weights. Five criteria (price, fuel consumption, carbon dioxide emission, engine and transmission, and reliability) are considered by the decision team. It is found that the selection criteria weights are almost the same. For this case, it can be said that the emission of carbon dioxide is not only a determining criterion for the purchase of hybrid vehicles. Namely, other criteria like cost are as important as the environmental criterion in the hybrid selection process. IVIF MABAC is utilized to rank hybrid vehicle alternatives and select the best hybrid vehicle. Among the five alternatives, A_1 is selected as the best hybrid vehicle. In IVIF MABAC method, there is no necessity to represent the necessary information with crisp data. The problem is solved by the decision makers' judgments. In this way, the magnitude of the problem may also increase because the problems of finding exact data and forming decision matrix including crisp data are eliminated. In IVIF MABAC method, other IVIF distances may be used instead of IVIF Euclidean method and the effects of distance measure may be analysed. Decision makers are the main parts of both two MCDM methods. Their judgments and evaluations are considered in parallel with their weights.

The methodology in this paper is useful as a decision-making tool for the managers in better understanding the hybrid vehicle selection problem theoretically. Qualitative data in the problem is handled so uncertainty in the structure of the problem is modelled. However, the proposed methodology or the resulting solutions have some limitations. IVIF AHP method depends on pairwise comparison scale. As the number of levels in the hierarchy of the decision problem and the number of elements to be compared increase,

the problem becomes more complex, which causes loss of time. Criteria affecting hybrid vehicle selection are limited to price, fuel consumption, carbon dioxide emission, engine and transmission, reliability and the number of alternatives is limited to five in this study. However, there are also criteria other than these main criteria that affect the choice of hybrid car. When the number of criteria and alternatives are increased, using the AHP method may be disadvantageous as it requires much more time and effort. Because pairwise comparisons will increase and computational difficulties will arise. The consistency of weight in AHP may not be derived for different fuzzy numbers. Moreover, AHP does not take into account the dependencies and interrelationships between criteria (Moslem *et al.*, 2023). So, newly developed methods such as ANP, BWM, LBWA, FUCOM and DIBR, which eliminate the number of pairwise comparisons, can be used to reduce the limitations of the AHP method in solving more complex problems. In case there are many interconnected criteria and alternatives, the advantages of these newly developed methods instead of the AHP method can be used.

The other limitations of the study are as follows. IVIF AHP and IVIF MABAC methods are subjective. An IVIF number is used to cope with uncertainty and improve uncertainty in evaluating criteria and possible alternatives. The number of criteria and alternatives are selected as the decision maker preferences to solve such problems (Mandal *et al.*, 2024). Determining the importance of the criteria and evaluating the alternatives on the basis of each criterion depends entirely on the linguistic expressions of the decision makers. Although this is an advantage under uncertainty and incomplete information, this is a disadvantage if the decision makers are not experts in their field. Decision makers have a significant influence on the decision. If decision makers make wrong evaluations, it may cause the decision to be wrong. This means that the order of the alternatives will not always be correct. The score and accuracy functions are used only to measure the IVIF numbers and rank them according to the score value. The ranking of the alternative may be different depending on the criteria. As a result, it is difficult to compare the performance of alternatives on many criteria objectively. Any uncertain situation may not be measured by the single real-valued membership and non-membership function in the IF set. Also, the exact belonging of an element cannot be obtained in the IVIF set (Mandal *et al.*, 2024).

For future studies, these methods may be used for other selection problems in different areas such as facility location selection, supplier selection, material selection, personnel selection, etc. The usage of IVIF sets has been deemed sufficient in this study in terms of capturing the complexity in the problem. However, in cases that cover all types of missing data and are insufficient to represent real situations, type-2 IVIF sets may be used. Similarly, other fuzzy extensions like neutrosophic or Fermatean sets of these methods may be applied for handling uncertainty. Pythagorean fuzzy sets, which are useful expansion of IF sets (Asif *et al.*, 2025), may be used. On the other hand, criteria weights obtained from IVIF AHP are used in this study. These weights are also subjective weights. In further studies, subjective weights may be calculated using different methods. In addition, objective weight calculation methods may also be evaluated, and results may be compared. Different selection criteria and alternatives may be added or changed.

References

- Abdullah, L., Jaafar, J., Taib, I. (2009). A new analytic hierarchy process in multi-attribute group decision making. *International Journal of Soft Computing*, 4(5), 208–214.
- Abdullah, L., Jaafar, S., Taib, I. (2013). Intuitionistic fuzzy analytic hierarchy process approach in ranking of human capital indicators. *Journal of Applied Sciences*, 13, 423–429.
- Abdullah, L., Najib, L. (2014). A new preference scale of intuitionistic fuzzy analytic hierarchy process in multi-criteria decision making problems. *Journal of Intelligent & Fuzzy Systems*, 26(2), 1039–1049.
- Abdullah, L., Najib, L. (2016). A new preference scale MCDM method based on interval-valued intuitionistic fuzzy sets and the analytic hierarchy process. *Soft Computing*, 20(2), 511–523.
- Abdullah, L., Zulkifli, N., Liao, H., Herrera-Viedma, E., Al-Barakati, A. (2019). An interval-valued intuitionistic fuzzy DEMATEL method combined with Choquet integral for sustainable solid waste management. *Engineering Applications of Artificial Intelligence*, 82, 207–215.
- Abdullah, L., Goh, C., Zamri, N., Othman, M. (2020). Application of interval valued intuitionistic fuzzy TOPSIS for flood management. *Journal of Intelligent & Fuzzy Systems*, 38(1), 873–881.
- Acar, C., Haktani, r.E., Temur, G.T., Beskese, A. (2024). Sustainable stationary hydrogen storage application selection with interval-valued intuitionistic fuzzy AHP. *International Journal of Hydrogen Energy*, 49, 619–634.
- Ali, A., Ullah, K., Hussain, A. (2023). An approach to multi-attribute decision-making based on intuitionistic fuzzy soft information and Aczel-Alsina operational laws. *Journal of Decision Analytics and Intelligent Computing*, 3(1), 80–89.
- Alkahtani, M., Al-Ahmari, A., Kaid, H., Sonboa, M. (2019). Comparison and evaluation of multi-criteria supplier selection approaches: A case study. *Advances in Mechanical Engineering*, 11(2), 1–19.
- Arat, H.T. (2018). Numerical comparison of different electric motors (IM and PM) effects on a hybrid electric vehicle. *Avrupa Bilim ve Teknoloji Dergisi*, 14, 378–386.
- Asif, M., Ishtiaq, U., Argyros, I.K. (2025). Hamacher aggregation operators for Pythagorean fuzzy set and its application in multi-attribute decision-making problem. *Spectrum of Operational Research*, 2(1), 27–40.
- Atanassov, K. (1986). Intuitionistic fuzzy set. *Fuzzy Sets Systems*, 20, 87–96.
- Atanassov, K., Gargov, G. (1989). Interval valued intuitionistic fuzzy sets. *Fuzzy Sets and Systems*, 31, 343–349.
- Aydn, S. (2021). Novel multi-expert MABAC method based on Fermatean fuzzy sets. *Journal of Multiple-Valued Logic & Soft Computing*, 37(5/6), 533–552.
- Aytaç Adalı, A., Öztaş, T., Özçil, A., Öztaş, G.Z., Tuş, A. (2023). A new multi-criteria decision-making method under neutrosophic environment: ARAS method with single-valued neutrosophic numbers. *International Journal of Information Technology & Decision Making*, 22(01), 57–87.
- Aytaç Adalı, A., Tuş, A. (2023). ARAS method based on Z-numbers in FMEA. *Quality and Reliability Engineering International*, 39(7), 3059–3081.
- Ayyıldız, E. (2021). Interval valued intuitionistic fuzzy analytic hierarchy process-based green supply chain resilience evaluation methodology in post COVID-19 era. *Environmental Science and Pollution Research*, 30, 42476–42494.
- Biswas, T.K., Das, M.C. (2018). Selection of hybrid vehicle for green environment using multi-attribute border approximation area comparison method. *Management Science Letters*, 8(2), 121–130.
- Bošković, S., Švadlenka, L., Jovčić, S., Dobrodolac, M., Simić, V., Bačanin, N. (2023). An alternative ranking order method accounting for two-step normalization (AROMAN)—a case study of the electric vehicle selection problem. *IEEE Access*, 11, 39496–39507.
- Bouraima, M.B., Idiz E, A., Badi, I., Özçelik, G., Yeni, F.B., Pamucar, D. (2024). An integrated intelligent decision support framework for the development of photovoltaic solar power. *Engineering Applications of Artificial Intelligence*, 127, 107253.
- Bureau of Transportation Statistics (2024). Gasoline, Hybrid and Electric Vehicle Sales. <https://www.bts.gov/content/gasoline-hybrid-and-electric-vehicle-sales>. Accessed 23 May 2025.
- Büyükoçkan, G., Feyzioğlu, O., Göçer, F. (2016). Evaluation of hospital web services using intuitionistic fuzzy AHP and intuitionistic fuzzy VIKOR. In: *IEEE Int Conf Ind Eng Manag* (Vol. 4–7), pp. 607–611.
- Büyükoçkan, G., Göçer, F. (2017). Application of a new combined intuitionistic fuzzy MCDM approach based on axiomatic design methodology for the supplier selection problem. *Applied Soft Computing*, 52, 1222–1238.
- Büyükoçkan, G., Göçer, F., Feyzioğlu, O. (2018). Cloud computing technology selection based on interval-valued intuitionistic fuzzy MCDM methods. *Soft Computing*, 22(15), 5091–5114.

- Büyüközkan, G., Havle, C.A., Feyzioğlu, O. (2021a). Digital competency evaluation of low-cost airlines using an integrated IVIF AHP and IVIF VIKOR methodology. *Journal of Air Transport Management*, 91, 101998.
- Büyüközkan, G., Mukul, E., Kongar, E. (2021b). Health tourism strategy selection via SWOT analysis and integrated hesitant fuzzy linguistic AHP-MABAC approach. *Socio-Economic Planning Sciences*, 74, 100929.
- Cekerevac, Z. (2025). Ecological and economic risks of using gasoline, electric, hybrid, and hydrogen-powered vehicles. *MEST Journal*, 1–21.
- Chen, T.Y., Wang, H.P., Lu, Y.Y. (2011). A multicriteria group decision-making approach based on interval-valued intuitionistic fuzzy sets: a comparative perspective. *Expert Systems with Applications*, 38(6), 7647–7658.
- Chen, X., Fang, Y., Chai, J., Xu, Z. (2022). Does intuitionistic fuzzy analytic hierarchy process work better than analytic hierarchy process? *International Journal of Fuzzy Systems*, 24(2), 909–924.
- Chowdhury, S.R., Chatterjee, S., Chakraborty, S. (2024). Optimization of grinding processes using multi-criteria decision making methods in intuitionistic fuzzy environment. *OPSEARCH*, 61, 709–740.
- Deepika, M., Karthik Kannan, A.S. (2016). Global supplier selection using intuitionistic fuzzy analytic hierarchy process. In: *Int Conf Electr, Electron, Optim Tech*, 3–5 March, pp. 2390–2395.
- Eti, S., Dinçer, H., Yüksel, S., Gökalp, Y. (2025). A new fuzzy decision-making model for enhancing electric vehicle charging infrastructure. *Spectrum of Decision Making And Applications*, 2(1), 94–99.
- Fahmi, A., Derakhshan, A., Kahraman, C. (2015). August. Human resources management using interval valued intuitionistic fuzzy analytic hierarchy process. In: *2015 IEEE International Conference on Fuzzy Systems*, 2–5 August, pp. 1–5.
- Fan, Y., Xiao, F. (2020). TDIFS: Two dimensional intuitionistic fuzzy sets. *Engineering Applications of Artificial Intelligence*, 95, 103882.
- Gitnux Editorial Team (2024). Hybrid Car Sales Statistics. <https://blog.gitnux.com/hybrid-car-sales-statistics/>. Accessed 23 May 2025.
- Golui, S., Mahapatra, B.S., Mahapatra, G.S. (2024). A new correlation-based measure on Fermatean fuzzy applied on multi-criteria decision making for electric vehicle selection. *Expert Systems with Applications*, 237, 121605.
- Gupta, P., Mehlawat, M.K., Grover, N., Pedrycz, W. (2018). Multi-attribute group decision making based on extended TOPSIS method under interval-valued intuitionistic fuzzy environment. *Applied Soft Computing*, 69, 554–567.
- Gupta, P., Mehlawat, M.K., Grover, N. (2019). A generalized TOPSIS method for intuitionistic fuzzy multiple attribute group decision making considering different scenarios of attributes weight information. *International Journal of Fuzzy Systems*, 21(2), 369–387.
- Haque, M.S., Sharif, S. (2021). The need for an effective environmental engineering education to meet the growing environmental pollution in Bangladesh. *Cleaner Engineering and Technology*, 4, 100114.
- Hai, W., Qian, G., Xiangqian, F. (2011). An intuitionistic fuzzy AHP based on synthesis of eigenvectors and its application. *Information Technology Journal*, 10(10), 1850–1866.
- Hashemkhani Zolfani, S., Görçün, Ö.F., Küçükönder, H. (2021). Evaluating logistics villages in Turkey using hybrid improved fuzzy SWARA (IMF SWARA) and fuzzy MABAC techniques. *Technological and Economic Development of Economy*, 27(6), 1582–1612.
- Hezam, I.M., Mishra, A.R., Rani, P., Cavallaro, F., Saha, A., Ali, J., Strielkowski, W., Štreimikienė, D. (2022). A hybrid intuitionistic fuzzy-MEREC-RS-DNMA method for assessing the alternative fuel vehicles with sustainability perspectives. *Sustainability*, 14(9), 5463.
- Hong, Y.H., Khan, N., Abdullah, M.M. (2013). The determinants of hybrid vehicle adoption: Malaysia perspective. *Australian Journal of Basic and Applied Sciences*, 7(8), 347–454.
- Huo, J., Zhang, W., Chen, Z. (2024). Enhanced decision-making through an intelligent algorithmic approach for multiple-attribute college English teaching quality evaluation with interval-valued intuitionistic fuzzy sets. *International Journal of Knowledge-based and Intelligent Engineering Systems*, 28(2), 279–294.
- Hu, S., Yang, J., Jiang, Z., Ma, M., Cai, W. (2021). CO2 emission and energy consumption from automobile industry in China: Decomposition and analyses of driving forces. *Processes*, 9(5), 810.
- İç, Y.T., Şimşek, E. (2019). Operating window perspective integrated TOPSIS approach for hybrid electrical automobile selection. *SN Applied Sciences*, 1, 1314.
- İlbahar, E., Cebi, S., Kahraman, C. (2021a). Social acceptability assessment of renewable Energy Policies: An Integrated Approach Based on IVPF BOCR and IVIF AHP. In: *International Conference on Intelligent and Fuzzy Systems*. Springer, Cham, pp. 93–100.

- Ibbar, E., Cebi, S., Kahraman, C. (2021b). Risk assessment of R&D projects: a new approach based on IVIF AHP and fuzzy axiomatic design. *Journal of Intelligent & Fuzzy Systems*, 42(1), 605–614.
- Jamkhaneh, E.B., Nadarajah, S. (2015). A new generalized intuitionistic fuzzy set. *Hacetatepe Journal of Mathematics and Statistics*, 44(6), 1537–1551.
- Jana, C., Garg, H., Pal, M., Sarkar, B., Wei, G. (2024). MABAC framework for logarithmic bipolar fuzzy multiple attribute group decision-making for supplier selection. *Complex and Intelligent Systems*, 10, 273–288.
- Kahraman, C., Öztaysi, B., Onar, S. (2016). Intuitionistic fuzzy multicriteria evaluation of outsource manufacturers. *IFAC-PapersOnLine*, 49, 1844–1849.
- Keshavarz-Ghorabae, M., Amiri, M., Hashemi-Tabatabaei, M., Ghahremanloo, M. (2021). Sustainable public transportation evaluation using a novel hybrid method based on Fuzzy BWM and MABAC. *The Open Transportation Journal*, 15(1), 30–46.
- Khan, F., Yousaf, A., Khan, A.U. (2020). Sustainable hybrid electric vehicle selection in the context of a developing country. *Air Quality, Atmosphere, & Health*, 13(4), 489–499.
- Kirişçi, M. (2024). Interval-valued Fermatean fuzzy based risk assessment for self-driving vehicles. *Applied Soft Computing*, 152, 111265.
- Kumar, K., Kumar, S., Prajapati, D., Samir, S., Thapa, S., Kumar, R. (2025). Solar thermal collector roughened with S-shaped ribs: parametric optimization using AHP-MABAC technique. *Fluids*, 10(3), 67.
- Kundakcı, N., Aytaç Adalı, E., Tuş, A. (2015). Tourist hotel location selection with analytic hierarchy process. *Journal of Life Economics*, 2(3), 47–58.
- Li, D.F. (2011). Extension principles for interval-valued intuitionistic fuzzy sets and algebraic operations. *Fuzzy Optimization and Decision Making*, 10(1), 45–58.
- Liu, H.C., You, J.X., Duan, C.Y. (2019). An integrated approach for failure mode and effect analysis under interval-valued intuitionistic fuzzy environment. *International Journal of Production Economics*, 207, 163–172.
- Liu, P., Wang, D. (2021). A 2-dimensional uncertain linguistic MABAC method for multiattribute group decision-making problems. *Complex & Intelligent Systems*, 8, 349–360.
- Liu, P., Zhang, P. (2021). A normal wiggly hesitant fuzzy MABAC method based on CCSD and prospect theory for multiple attribute decision making. *International Journal of Intelligent Systems*, 36(1), 447–477.
- Lu, X., Lu, J., Yang, X., Chen, X. (2022). Assessment of urban mobility via a pressure-state-response (PSR) model with the IVIF-AHP and FCE methods: a case study of Beijing, China. *Sustainability*, 14(5), 3112.
- Mandal, S., Gazi, K.H., Salahshour, S., Mondal, S.P., Bhattacharya, P., Saha, A.K. (2024). Application of interval valued intuitionistic fuzzy uncertain MCDM methodology for Ph.D supervisor selection problem. *Results in Control and Optimization*, 15, 100411.
- Market Research Future (2025). Hybrid Vehicle Market Size, Trends, Growth and Forecast 2032. <https://www.marketresearchfuture.com/reports/hybrid-vehicle-market-6025>. Accessed 23 May 2025.
- Mathew, M., Chakraborty, R.K., Ryan, M.J., Ljaz, M.F., Khan, S.A.R. (2021). The multi-attribute border approximation area comparison (MABAC) method for decision making under interval-valued Fermatean fuzzy environment for green supplier selection. Preprints, 2021120209.
- Mishra, A.R., Rani, P. (2018). Interval-valued intuitionistic fuzzy WASPAS method: application in reservoir flood control management policy. *Group Decision and Negotiation*, 27, 1047–1078.
- Mishra, A.R., Chandel, A., Motwani, D. (2020). Extended MABAC method based on discrimination measures for multi-criteria assessment of programming language with interval-valued intuitionistic fuzzy sets. *Granular Computing*, 5(1), 97–117.
- Moslem, S., Solieman, H., Oubahman, L., Duleba, S., Senapati, T., Pilla, F. (2023). Assessing public transport supply quality: a comparative analysis of analytical network process and analytical hierarchy process. *Journal of Soft Computing and Decision Analytics*, 1(1), 124–138.
- Neizari, M.M., Nikandish, A., Samadi, B. (2017). A study on hybrid car purchasing intention. *International Journal of Business and Social Sciences*, 8(12), 46–56.
- Onar, S.C., Öztaysi, B., Otay, I., Kahraman, C. (2015). Multi-expert wind energy technology selection using interval-valued intuitionistic fuzzy sets. *Energy*, 90, 274–285.
- Ouyang, X., Guo, F. (2018). Intuitionistic fuzzy analytical hierarchical processes for selecting the paradigms of mangroves in municipal wastewater treatment. *Chemosphere*, 197, 634–642.
- Pamučar, D., Čirović, G. (2015). The selection of transport and handling resources in logistics centers using multi attribute border approximation area comparison (MABAC). *Expert System with Application*, 42(6), 3016–3028.

- Pamućar, D., Petrović, I., Ćirović, G. (2018). Modification of the Best-Worst and MABAC methods: a novel approach based on interval-valued fuzzy-rough numbers. *Expert System with Application*, 91, 89–106.
- Patel, H., Chang, C.T. (2024). Beyond throughput: evaluating maritime port competitiveness using MABAC and Bayesian methods. *Computers & Industrial Engineering*, 110248.
- Peng, X., Yang, Y. (2016). Pythagorean fuzzy Choquet integral based MABAC method for multiple attribute group decision making. *International Journal of Intelligent Systems*, 31, 989–1020.
- Perçin, S. (2022). Circular supplier selection using interval-valued intuitionistic fuzzy sets. *Environment, Development and Sustainability*, 24(4), 5551–5581.
- Pielecha, J., Skobiej, K., Kurtyka, K. (2020). Exhaust emissions and energy consumption analysis of conventional, hybrid, and electric vehicles in real driving cycles. *Energies*, 13(23), 6423.
- Puška, A., Nedeljković, M., Hashemkhani Zolfani, S., Pamučar, D. (2021). Application of interval fuzzy logic in selecting a sustainable supplier on the example of agricultural production. *Symmetry*, 13(5), 774.
- Rani, P., Ali, J., Krishankumar, R., Mishra, A.R., Cavallaro, F., Ravichandran, K.S. (2021). An integrated single-valued neutrosophic combined compromise solution methodology for renewable energy resource selection problem. *Energies*, 14(15), 4594.
- Roy, J., Ranjan, A., Debnath, A. (2016). An extended MABAC for multi-attribute decision making using trapezoidal interval type-2 fuzzy numbers. <https://arxiv.org/abs/1607.01254>. Accessed July 29, 2019.
- Roy, J., Chatterjee, K., Bandyopadhyay, A., Kar, S. (2017). Evaluation and selection of medical tourism sites: a rough AHP based MABAC approach. *Expert Systems*, 35(1), 1–19.
- Saaty, T.L. (1980). *The Analytic Hierarchy Process*. McGraw-Hill, Newyork.
- Saaty, R.W. (1987). The analytic hierarchy process-what it is and how it is used. *Mathl Modelling*, 9(3), 161–176.
- Safaei Mohamadabadi, H., Tichowsky, G., Kumar, A. (2009). Development of a multi-criteria assessment model for ranking of renewable and non-renewable transportation fuel vehicles. *Energy*, 34, 112–125.
- Sadiq, R., Tesfamariam, S. (2009). Environmental decision making under uncertainty using Intuitionistic Fuzzy Analytic Hierarchy Process (IF-AHP). *Stoch Environ Res Risk Assess*, 23, 75–91.
- Salman, M., Chauhan, R., Singh, T., Prabakaran, R., Kim, S.C. (2023). Experimental investigation and optimization of dimple-roughened impinging jet solar air collector using a novel AHP-MABAC approach. *Environmental Science and Pollution Research*, 30(13), 36259–36275.
- Seker, S. (2020). Site selection for solar power plants using integrated two-stage hybrid method based on intuitionistic fuzzy AHP and COPRAS approach. In: Kahraman, C., Cebi, S., Cevik Onar, S., Oztaysi, B., Tolga, A., Sari, I. (Eds.), *Intelligent and Fuzzy Techniques in Big Data Analytics and Decision Making*. Springer, pp. 616–624.
- Sharma, R.B., Maitra, B. (2024). Methodological approach to obtain key attributes affecting the adoption of plug-in hybrid electric vehicle. *Case Studies on Transport Policy*, 16, 101165.
- Sundar Singh Sivam, S.P., Harshavardhana, N., Kumaran, D. (2024). Sustainable optimization through intuitionistic fuzzy MABAC of conical microcups fabrication in incremental sheet metal forming. *Journal of the Brazilian Society of Mechanical Sciences and Engineering*, 46(7), 445.
- Sonar, H.C., Kulkarni, S.D. (2021). An integrated AHP-MABAC approach for electric vehicle selection. *Research in Transportation Business & Management*, 41(100665), 1–8.
- Soon, W.L., Seng, W.T., Luen, W.K., Siang, J.M.L.D. (2013). Hybrid vehicle adoption – a conceptual study. *Journal of Education and Vocational Research*, 4(6), 165–168.
- Sun, R., Hu, J., Zhou, J., Chen, X. (2018). A hesitant fuzzy linguistic projection-based MABAC method for patients' prioritization. *International Journal of Fuzzy Systems*, 20, 2144–2160.
- Suppes, G.J., Storvick, T.S. (2016). *Sustainable Power Technologies and Infrastructure*. 1st ed. Academic Press, London.
- Tooranloo, H.S., Iranpour, A. (2017). Supplier selection and evaluation using interval-valued intuitionistic fuzzy AHP method. *International Journal of Procurement Management*, 10(105), 539–554.
- Tran, M.K., Akinsanya, M., Panchal, S., Fraser, R., Fowler, M. (2021). Design of a hybrid electric vehicle powertrain for performance optimization considering various powertrain components and configurations. *Vehicles*, 3(1), 20–32.
- Tumsekali, E., Ayyildiz, E., Taskin, A. (2021). Interval valued intuitionistic fuzzy AHP-WASPAS based public transportation service quality evaluation by a new extension of SERVQUAL Model: P-SERVQUAL 4.0. *Expert Systems with Applications*, 186, 115757.
- Tuğrul, F., Citil, M. (2022). Application of mathematical modeling in multi criteria decision making process: intuitionistic fuzzy PROMETHEE. *Journal of Mathematical Sciences and Modelling*, 5(2), 48–56.

- Tuş, A., Aytaç Adalı, E. (2018). MABAC Method for an automobile selection problem. In: *Proceedings of the VI. International Multidisciplinary Congress of Eurasia*, (Rome), Italy, September 4–6, pp. 254–259.
- Türkiye Statistical Institute (2025). Statistical Data Portal. <https://data.tuik.gov.tr/>. Accessed 23 May 2025.
- Tütüncü, K.A., Gül, N.N., Bölükbaş, U., Güneri, A.F. (2023). Integer linear programming approach for the personnel shuttles routing problem in Yıldız Campus in İstanbul. *Journal of Soft Computing and Decision Analytics*, 1(1), 303–316.
- Tzeng, G.H., Lin, C.W., Opricovic, S. (2005). Multi-criteria analysis of alternative-fuel buses for public transportation. *Energy Policy*, 33, 1373–1383.
- Ucarol, H., Kaypmaz, A., Tuncay, R.N., Tur, O. (2005). *A performance comparison study among conventional, series hybrid and parallel hybrid vehicles*. TUBITAK Marmara Research Center, Gebze, Kocaeli, Turkey. http://www.emo.org.tr/ekler/c792a8279211dec_ek.pdf.
- Vahdani, B., Zandieh, M., Tavakkoli-Moghaddam, R. (2011). Two novel FMCDM methods for alternative-fuel buses selection. *Applied Mathematical Modelling*, 35, 1396–1412.
- Verma, R. (2021). Fuzzy MABAC method based on new exponential fuzzy information measures. *Soft Computing*, 25, 9575–9589.
- Wan, S., Dong, J. (2020). A possibility degree method for interval-valued intuitionistic fuzzy multi-attribute group decision making. *Decision Making Theories and Methods Based on Interval-Valued Intuitionistic Fuzzy Sets*, 1–35.
- Wang, J., Wei, G., Wei, C., Wei, Y. (2020). MABAC method for multiple attribute group decision making under q-rung orthopair fuzzy environment. *Defence Technology*, 16(1), 208–216.
- Wang, G., Chen, C., Beshiwork, B.A., Lin, B. (2023a). Developing a low-carbon hybrid of ammonia fuel cell and internal combustion engine for carbon neutrality. *Applications in Energy and Combustion Science*, 16, 100214.
- Wang, C., Yang, L., Zhang, X., Liang, R., Li, H., Wang, Y. (2023b). Optimisation analysis of distribution network planning based on the IVIF-AHP method. *Applied Mathematics and Nonlinear Sciences*, 8(2), 1105–1116.
- Wang, J., Cai, Q., Wang, H., Wei, G., Liao, N. (2023c). An integrated decision-making methodology for green supplier selection based on the improved IVIF-CPT-MABAC method. *Journal of Intelligent & Fuzzy Systems*, 44(5), 8535–8560.
- Wei, C.P., Wang, P., Zhang, Y.Z. (2011). Entropy, similarity measure of interval-valued intuitionistic fuzzy sets and their applications. *Information Sciences*, 181(19), 4273–4286.
- Wu, J., Huang, H.B., Cao, Q.W. (2013). Research on AHP with interval-valued intuitionistic fuzzy sets and its application in multi-criteria decision making problems. *Applied Mathematical Modelling*, 37(24), 9898–9906.
- Xu, Z., Chen, J. (2007). On geometric aggregation over interval-valued intuitionistic fuzzy information. In: *Fourth International Conference on Fuzzy Systems and Knowledge Discovery (FSKD 2007)*, 24–27 August, pp. 466–471.
- Xu, Z.S. (2007). Methods for aggregating interval-valued intuitionistic fuzzy information and their application to decision making. *Control and Decision*, 22(2), 215–219.
- Xu, Z.S., Chen, J. (2008). An overview of distance and similarity measures of intuitionistic fuzzy sets. *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, 16(4), 529–555.
- Xu, Z., Liao, H. (2013). Intuitionistic fuzzy analytic hierarchy process. *IEEE Transactions on Fuzzy Systems*, 22(4), 749–761.
- Xu, Z., Gou, X. (2017). An overview of interval-valued intuitionistic fuzzy information aggregations and applications. *Granular Computing*, 2(1), 13–39.
- Xue, Y.X., You, J.X., Lai, X.D., Liu, H.C. (2016). An interval-valued intuitionistic fuzzy MABAC approach for material selection with incomplete weight information. *Applied Soft Computing*, 38, 703–713.
- Yavuz, M., Oztaysi, B., Onar, S.C., Kahraman, C. (2015). Multi-criteria evaluation of alternative-fuel vehicles via a hierarchical hesitant fuzzy linguistic model. *Expert System with Application*, 42, 2835–2848.
- Yu, S.M., Wang, J., Wang, J.Q. (2017). An interval type-2 fuzzy likelihood-based MABAC approach and its application in selecting hotels on a tourism website. *International Journal Fuzzy Systems*, 19, 47–61.
- Zadeh, L.A. (1965). Fuzzy sets. *Information and Control*, 8, 338–353.
- Zavadskas, E.K., Antucheviciene, J., Razavi Hajiagha, S.H., Hashemi, S.S. (2015). The interval-valued intuitionistic fuzzy MULTIMOORA method for group decision making in engineering. *Mathematical Problems in Engineering*, 2015(1), 1–13.
- Zhang, S., Li, X., Meng, F. (2016). An approach to multicriteria decision-making under interval-valued intuitionistic fuzzy values and interval fuzzy measures. *Journal of Industrial and Production Engineering*, 33(4), 253–270.

- Zhang, H., Wei, G., Chen, X. (2021). CPT-MABAC method for spherical fuzzy multiple attribute group decision making and its application to green supplier selection. *Journal of Intelligent & Fuzzy Systems*, 41(1), 1009–1019.
- Zhao, M., Wei, G., Chen, X., Wei, Y. (2021). Intuitionistic fuzzy MABAC method based on cumulative prospect theory for multiple attribute group decision making. *International Journal of Intelligent Systems*, 36(11), 6337–6359.
- Zhu, J. (2013). Self-adaptation evaluation method in real time dynamics decision-making system based on grey close relationship. *Grey Systems: Theory and Application*, 3(3), 276–290.

E. Aytaç Adalı is a professor at Pamukkale University in Denizli, Türkiye. She received her PhD from the Business Administration Department at Adnan Menderes University in Aydın, Türkiye. She has published over 40 publications in international/national journals/conferences. Her research interests are quality and quality control, fuzzy logic, and multi-criteria decision-making.

A. Tuş is a professor at Pamukkale University in Denizli, Türkiye. She received her PhD from the Business Administration Department at Adnan Menderes University in Aydın, Türkiye. She has published over 45 publications in international/national journals/conferences. Her research interests are mathematical programming, fuzzy logic, and multi-criteria decision-making.